www.nguyenxuong.com

Office Supplies

Office Equipment, Books, Labelling & Marking - contents

›› Office Equipment, Books, Labelling & Marking	**2143**
Office Consumables	**2143**
Marker Pens	**2143**
Desk Accessories	**2143**
Filing & Storage	**2144**
Technical Drawing	**2144**
Presentation Equipment	**2144**
Label Printers & Accessories	**2144**
Labels	**2153**
Calculators and Organisers	**2155**
Clocks	**2155**
Stop Watches	**2156**
Count Up/Down Timers	**2156**
Engineering & Technology Books	**2157**
Quality Management	**2158**

SEE OUR COMPLETE RANGE OF OFFICE, STATIONARY AND LABELLING PRODUCTS AT RS ONLINE



Sharpie edding Fellowes RS brother at your side

OM = Order Multiple

www.nguyenxuong.com

Office Consumables

Adhesives -Spray Adhesives

SprayMount™ Adhesive

- Provides an instant secure bond
- Does not go brittle with age
- Ideal for paste up and artwork
- Ideal for most common materials

Stock no.	Price per	OM	S$	S$	S$
†268-1291	unit	1+	26·40	6+ 25·40	12+ 24·90

Marker Pens

Marker Pens

Sharpie Permanent Marker

- All-purpose permanent marker
- Fine line 1.5mm width
- Quick drying with non-offensive odour
- Water and fade resistant
- Use on glass, metal, photos, foil coated paper and most plastics

Colour	Stock no.	Price per	OM	S$	S$	S$
Black; Blue; Green; Red	526-0235	box of 4	1+	5·80		

Edding Highlighter Pen Set

- Set contains one yellow, orange, pink, blue, green and grey pen

Stock no.	Price per	OM	S$
489-2617	unit	1+	12·70

General Purpose Fine Line

Permanent marker pen with pointed tip for fine line marking. The permanent, low odour ink is:

- Xylene, Toulene and Butyl Acetate free
- Quick drying
- Water and Light Resistant
- Heat Resistant up to 100°C
- Largely corrosion proof against ferric chloride
- Used to mark most surfaces including PCBs

Tip Profile	Pointed
Tip Size	1 mm

Description	Colour	Quantity	Stock no.	Price per	OM	S$
Mixed Set Pointed	Black; Blue; Green; Red	4	187-1011	1 set	1+	11·70
Black Pointed	Black	1	187-1162	unit	5+	3·21
Red Pointed	Red	1	187-1178	unit	5+	2·91
Blue Pointed	Blue	1	187-1184	unit	5+	2·47

Specialist Markers

Low Corrosion Pens

A specialist low-corrosion black-ink marker using water-based ink. Ideal for marking on non-porous surfaces and resistant to:

- Solvents
- Coatings, e.g. Polyurethane
- Light
- Water (when dry)

Approvals: British Aerospace Airbus Ltd in accordance with the ABP9-3323 standard, Class A.

Stock no.	Price per	OM	S$
231-4531	unit	1+	5·30

edding 8280 Security UV Marker Pen

- Ideal for invisible marking of valuable articles
- Fluorescent blue ink shows up under UV light (see stock no. 625-233)

Description	Stock no.	Price per	OM	S$	S$	S$
UV Marker Pen	806-038	unit	1+	8·30		
UV Scanner	625-233	unit	1+	37·70		

Paste Marker Pens

A paste painter with a 10mm stroke width, after drying it has the following properties:

- Highly permanent
- Water-resistant
- Temperature range -10°C to +100°C

It is ideal for marking on:

- Hot and cold rubber
- Concrete
- Wood
- Metal (even rusty surfaces)
- Plastic
- Rough damp surfaces

Colour	Stock no.	Price per	OM	S$	S$	S$
Black	806-050	unit	1+	12·20		
Red	806-066	unit	1+	12·20		
Blue	806-072	unit	1+	12·20		
Yellow	806-088	unit	1+	11·80		
White	806-094	unit	1+	12·20		

Extra Fine/Fine/Medium Tipped Paintmarker

Paint marker pens with ink which is:

- Permanent
- Opaque
- Water and rub resistant
- Light-resistant
- Heat and wear-resistant
- Produces a lacquer finish
- Bullet tip nib
- Excellent adhesion, even on smooth or porous surfaces
- Ideal for marking, signing and lettering on: Especially good on dark or transparent materials, Dark surfaces, Non-porous surfaces, Paper, Hot and cold rubber, Leather, Metal, Plastic, Glass/Porcelain, Wood

Description	Stock no.	Price per	OM	S$	S$	S$
Extra Fine Line, 0.8mm - Black	195-5642	unit	1+	10·00		
Extra Fine Line, 0.8mm - White	195-5658	unit	1+	9·80		
Fine Line, 1-2mm - Black	806-101	unit	1+	8·15		
Fine Line, 1-2mm - Red	806-117	unit	1+	9·60		
Fine Line, 1-2mm - Blue	806-123	unit	1+	8·15		
Fine Line, 1-2mm - Yellow	806-139	unit	1+	9·60		
Fine Line, 1-2mm - White	806-145	unit	1+	9·80		
Medium Line, 2-4mm - Black	806-151	unit	1+	9·60		
Medium Line, 2-4mm - Red	806-167	unit	1+	9·60		
Medium Line, 2-4mm - Blue	806-173	unit	1+	9·10		
Medium Line, 2-4mm - Yellow	806-189	unit	1+	9·60		
Medium Line, 2-4mm - White	806-195	unit	1+	9·60		

Desk Accessories

Cutting Tools - Mats

Green, Anti-glare Mat

- Prevents damage to desks and benches
- Special coating ensures cutting marks not visible
- Complete penetration of mat is impossible
- Non-slip and double sided for extended use
- Anti-glare surface printed with 5mm grid



Dimensions (cm)	Stock no.	Price per	OM	S$
W.30xL.45	282-5536	unit	1+	34·10
W.45xL.60	282-5542	unit	1+	62·00
W.60xL.90	282-5564	unit	1+	114·00

Hole Punches

Hole Punch Wizard

- Electric hole punch
- Colourful
- Takes 4 x AA batteries (not supplied)

Stock no.	Price per	OM	S$	S$	S$
365-1061	unit	1+	52·50		

Stapling - Staplers

Wizard Automatic Stapler

- Electric Stapler
- Colourful
- Uses 4 x AA batteries (not supplied)
- Accepts No. 56 (26/6) staples
- Paper capacity 12 sheets of 80gsm paper

Stock no.	Price per	OM	S$	S$	S$
365-6202	unit	1+	47·60		

Visit our website for additional price information and exciting promotions

www.nguyenxuong.com

Filing & Storage

Document Storage - Boxes

Storage Box

Fellowes

- Sturdy corrugated box
- Each box holds 18kg of paper
- Multi-board layer for extra strength
- Tote handles for portability
- Lift off lid for dust free storage
- For storing lever arch files, box files etc

Dimensions 287x380x430 mm

Stock no.	Price per	OM	S$
299-6161	box of 10	1+	71·00

Technical Drawing

Stencilling

Interlocking Stencils

- The 2in. sets are manufactured from brass
- The 4in. sets are manufactured from zinc
- Interlock to enable signs to be made quickly
- Easy to assemble, use, clean and dismantle
- A-Z, 0-9 and alpha/numeric sets available
- Alpha/numeric sets contain 105 pieces

Description	Stock no.	Price per	OM	S$	S$	S$
1in. Alphanumeric set	609-332	1 kit	1+	89·50		
2in. Alphanumeric set	312-2866	1 kit	1+	126·00		
1in. A to Z Stencil Set	312-2872	1 kit	1+	30·30		
1in. 0 to 9 Stencil Set	312-2888	1 kit	1+	16·30		
2in. A to Z Stencil Set	312-2923	1 kit	1+	44·50		
2in. 0 to 9 Stencil Set	312-2894	1 kit	1+	19·40		
3in. A to Z Stencil Set	312-2901	1 kit	1+	65·50		
3in. 0 to 9 Stencil Set	312-2917	1 kit	1+	28·50		
4in. A to Z Stencil Set	377-2764	unit	1+	95·00		
4in. 0 to 9 Stencil Set	377-2512	unit	1+	43·80		

Presentation Equipment

Pointers

LX4 Laser Pointer

Legamaster

- Slim-line pen style pointer
- Attractive matt-silver casing
- Red on/off button
- Red laser dot can be turned into an arrow by twisting the laser head
- Includes 2 x AAA batteries

Warning: Laser pointers have visible laser radiation; avoid direct exposure to beam. Please read instructions carefully prior to use. The safety requirements for class II lasers are detailed in BS EN 60 825, 1992 which replaces BS17192: 1989.

Stock no.	Price per	OM	S$	S$	S$
442-3508	unit	1+	81·50		

Slim-line Class II Laser Pointer

edding

- Slim-line pointer with comfortable grip
- Ideal for highlighting information
- Class II Laser
- Power: < 1mW
- Red laser dot, diameter approx. 4mm

Note: Item differs slightly from that shown, functionality remains the same.

Warning: Laser pointers have visible laser radiation; avoid direct exposure to beam. Please read instructions carefully prior to use. The safety requirements for class II lasers are detailed in BS EN 60 825, 1992 which replaces BS17192: 1989.

Supplied with: *case and batteries.*

Stock no.	Price per	OM	S$	S$	S$
439-6709	unit	1+	123·50		

Label Printers & Accessories

Dymo Portable

LetraTag LT100H

DYMO

- ABC Keyboard
- 6-character display
- 6 styles, 4 character size
- $ symbol on Aus/Nz model
- Up to 2 print lines
- Uses paper, plastic, metallic and iron-on labels
- Print preview facility
- **Starter kit:** 3 rolls (paper-white, plastic-yellow, metallic-silver) available separately

Description	Stock no.	Price per	OM	S$	S$	S$	S$
LetraTag XR	456-6223	unit	1+	59·50	3+	58·00	
LetraTag XR Aus/NZ	472-8897	unit	1+	73·00			

Accessories

Description	Stock no.	Price per	OM	S$	S$	S$	S$
LetraTag Pack of 3 Assorted Rolls	456-7478	unit	1+	27·80	6+	26·50	12+ 25·60 ➤

DYMO LetraTag LT-100T

DYMO

The Personal LabelMaker LetraTag 100-T offers you speed, convenience and value. With simple keyboards, easy loading and ergonomic "in-the-palm-of-your-hand" fit, they're built for comfort, too. After all, the less hassle they are to use, the more organized you will be. To save you time, LetraTag models feature a built-in memory for saving that last label you printed.

- Built in preview screen, , character keyboard, cutter
- 5 Character sizes
- Styles & Effects: Bold, normal, vertical, outline, shadow, italic, underline, boxes around text
- Features: 1 line printing, 2 line printing, real time clock
- Display Resolution: 1 line x 13 characters
- Keyboard: QWERTY
- Media Type: Metallic tape, plastic tape, paper tape, iron-on tape
- Compatible Tapes: LetraTag tape
- Min Media Size (Custom): 12 mm
- Max Media Size (Custom): 12 mm
- Media Sizes: Roll (1.2 cm)
- Media Feeder(s): 1 x manual load - 1 cassettes - Roll (1.2 cm)
- Requires 4 x AA batteries

Stock no.	Price per	OM	S$	S$	S$
418-357	unit	1+	65·00		

LetraTag QX50

DYMO

Starter kit: 3 rolls (paper-white, plastic-yellow, metallic-silver) available separately

- Qwerty keyboard for faster input
- Print feature indicator icons
- Multiple language support
- Mirror printing
- 9 character display
- 2 time printing
- Direct thermal print technology - no ribbons, ink or toner cartridges needed
- Uses 5 x AA batteries (order separately)

Stock no.	Price per	OM	S$	S$	S$
629-0760	unit	1+	63·00		

LabelPoint 150

DYMO

- 3 label and 100 character memory
- Multiple copies function for instant reprinting of repetitive labels
- Colour-coded ABC keyboard for quick entry
- 13 character display for editing and label preview
- two line printing
- Horizontal, vertical and mirror printing
- Adds emphasis with bold, outline, italics, shadows, underline, box and symbols
- Thermal transfer print technology needs no expensive refills
- Aus/Nz model available
- Uses 6 x AA batteries (ordered separately)
- Accepts 9 and 12 mm D1 tape widths

Stock no.	Price per	OM	S$	S$	S$
629-0776	unit	1+	79·00		

LabelPoint 250

DYMO

- 100 character memory
- Auto-copier for instant reprinting of repetitive labels
- Colour-coded ABC keyboard with large keys for easy entering
- 13 character display for editing and label preview
- Horizontal, vertical and mirror printing
- Auto-numbering for sequential labels at the touch of a button
- Thermal transfer print technology needs no expensive refills
- Aus/Nz model available
- Uses 6 x AA batteries or optional power adaptor (ordered separately)
- Accepts 6, 9 and 12mm D1 tape widths

Stock no.	Price per	OM	S$	S$	S$
629-0782	unit	1+	129·00		

Accessories

continued on next page

www.nguyenxuong.com

continued from previous page

Description	Stock no.	Price per	OM	S$	S$	S$
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

LabelPOINT 350

- New ABC top case work design
- Semi-graphical LCD with text grid
- 100 character memory
- 7 character fonts and 1 symbol font
- 15 label memory
- Auto swith off
- Horizontal and vertical printing
- Underline, talic, bold, outline, shadow, mirror, vertical and strike through text
- Background pattern
- Aus/Nz mdel available
- Uses 6 x AA batteries or optional power adaptor (ordered separately)
- Accepts 6,9, 12 and 19mm D1 tape widths
- PC connectivity via USB

Minimum System Requirements: Windows 98/ME/2000/XP and USB Port

Description	Stock no.	Price per	OM	S$	S$	S$
LabelPOINT 350 Aus/NZ	629-0798	unit	1+	250·00		

Accessories

Description	Stock no.	Price per	OM	S$	S$	S$
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

RhinoPRO 1000

The RhinoPRO 1000 is an easy to use, inexpensive, light duty, portable label printer that uses durable labels that stick and stay stuck. Designed specifically for the do-it-yourselfers to label home electronics, audio and visual components, circuit panels and for many other applications all around the home.

- "Hot Keys" for easy one touch labelling:
- Flag - for labelling wires & cables
- Fixed length for faceplates, punch blocks and panels
- Audio/ Video – for commonly used A/V symbols
- Electrical – for commonly used Electrical symbols
- Serial key provides automatic incremental printing
- Vertical printing for labelling of racks, bins etc.
- Large 11 character display is easy to read
- Prints on 9 mm & 12 mm RhinoPRO labels
- Prints 2 lines of text in 3 type sizes
- 3 styles of printing - Normal, Italic, Outline as well as Underline and Box
- Units of meaure in millimeters or inches
- User defined character settings for language (English, French, German, Spanish or Italian)
- Requires 6 "AAA" batteries (not included)

Description	Stock no.	Price per	OM	S$	S$	S$
Rhino PRO 1000 BS1363	383-267	unit	1+	101·50		
Rhino PRO 1000 Aus/NZ	640-9908	1	1+	88·00		

Rhino PRO 5000

The Rhino Pro 5000 is specially designed for industrial labelling tasks.

- Software designed to assist with certain specialised tasks using "Quick access keys" for instant made to measure labels
- Wire cable marker: Enter the wire and cable diameter
- Patchpanel: Enter the port distance and 1 label covers all ports with the text evenly spaced between connection
- Modular components: 1 label fits exactly with the total number of modular components on a DIN-rail
- Fixed length label: A label with the correct size to fit exactly onto an outlet or electrical component
- Serialisation and 5 font sizes
- Electrical and Datacom symbols
- Prints bar Code 39 and Code 128
- Prints on 6, 9, 12 and 19mm Dymo ID1 tapes
- Power supply: 6 x AA-batteries (not included), 240V-adapter or rechargeable battery pack (optional)
- Dimensions: 114(W) x 70(D) x 212(H)mm
- Weight: 519g
- Carry case available separately

Rhino Pro 5000 Kits

Kits Include: Label printer, 19mm flexible white nylon tape, 6xAA batteries, AC power adaptor and user manual.

Description	Stock no.	Price per	OM	S$	S$	S$
RhinoPRO 5000 Aus/NZ	509-7728	unit	1+	240·00		
RhinoPRO 5000 Kit Aus/NZ	509-8254	unit	1+	350·00		
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

Rhino™ 5200

Fast, rugged and packed with time-saving features, RHINO™ 5200 is designed for professional installers in real-world jobsite conditions. Quickly create crystal-clear, professionally formatted labels for wires and cables, terminal blocks, 110 blocks, electrical and patch panels, shelves, racks, equipment machinery and more. The RHINO 5200 uses easy-peel industrial strength labels with industrial strength adhesives – so you can be confident your labels will stay stuck, and stay legible, even in tough conditions.

- Designed to help comply with ANSI/TIA/EIA-606-A standard
- DYMO exclusive "hot keys" automatically size, space and format labels for wires and cables, terminal blocks, circuit breakers, patch panels, vertical and fixed-length applications
- Pre-programmed symbol library puts industry symbols, punctuation, currency and fractions at your fingertips
- Large multi-label view display
- Save/recall > 100 Label formats
- Integrated, slip-resistant rubber grip/bumper bumper protects unit against damage from accidental falls, rough jobsites
- Integrated lanyard loop provides option of hands-free portability
- Large two-line display – backlit for poorly-lit installations
- Prints Code 39 and Code 128 bar codes on 3/4in. (19mm) labels
- Runs on six (6) AA batteries (not included) – or on an optional quick-charging lithium ion battery (RS 733-5873) to reduce overall AA battery waste and expense
- Automatic shut-off maximizes battery life

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0841480	686-8118	unit	1+	197·00		

Rhino™ 5200 Hard Case Kit

Includes the RHINO™ 5200 hand-held label printer PLUS

- Durable, construction-quality carrying case
- One 19mm white flexible nylon label cartridge (best for wrap applications)
- One 12mm white vinyl label cartridge (best for panel applications)
- Lithium ion rechargeable battery and AC adapter
- Supplied with Quick Reference Guide
- UK only version with 3-pin plug

Contents: *Hard Carry Case, 3/4in. White Flexible Nylon and Vinyl Labels, Reference Guide, Lithium Ion Rechargeable Battery, AC Adapter*

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0841390	686-8127	unit	1+	250·00		

RhinoPRO 6000

RHINO 6000 Professional Label Printer

- Unique "HOT KEYS" for wire & cable flags & wraps, patch panels, modules, terminal blocks, … eliminate guesswork, complicated menus and offer fast and easy formatting of commonly used label types.
- Over 250 easy-to-find, pre-programmed industry terms and symbols for saving time and standardising labelling jobs.
- 1 MB of memory to store 1000+ labels, including industry terms, graphics, logos and symbols, for on-demand printing at job-sites.
- Additional features include a large graphic display with backlight, one-touch powered cutter and cassette ejection system, automatic cassette recognition and quick charging lithium-ion rechargeable battery pack.
- Uses thermal transfer print technology – no ink cartridges
- Accepts 6, 9, 12, 19 and 24mm RHINO labels
- Includes one 24mm white Flexible Nylon label cartridge, AC adapter, and lithium-ion rechargeable battery pack.
- Works with RHINO CONNECT™ Software (sold separately or is included in Hard Case Kit)

RHINO 6000 Hard Case Kit

Includes rugged hard carry case, RHINO 6000 printer with integrated impact bumpers, RHINO CONNECT Software, one 24mm white Flexible Nylon label cartridge, one 9mm white Vinyl label cartridge, lithium-ion rechargeable battery pack, AC adapter and USB cable.

- Use RHINO CONNECT™ Software to:
- Upload / download label files for in-the field and on-demand printing.
- Insert customised graphics, logos, symbols and industry terms.
- Import data from any Windows®-based programme.
- Create labels using the integrated step-by-step wizard.
- Print labels directly from RHINO CONNECT™ Software.

RHINO Labels

- Use with the RHINO 5000 and 6000 label printers
- Thermal transfer print technology produces labels that are smear-proof and resistant to chemicals, solvents, grease, heat, moisture and other harsh elements
- Industrial-strength adhesives result in labels that stick and last
- Easy-to-peel, split-back design for easy removal
- Print on the colour half and then wrap around cable, the clear half then wraps over and adds protection
- New 24mm labels compatible with RHINO 6000

Description	Stock no.	Price per	OM	S$	S$	S$	S$
Rhino 6000 Printer	522-288	unit	1+	460·00			
Rhino 6000 Kit	522-305	unit	1+	610·00			
Label 24mmx5.5m White	522-282	unit	1+	35·10	6+ 33·80	12+	32·50
Nylon label 24mmx3.5m White	522-294	unit	1+	35·10	6+ 33·80	12+	32·50
Nylon 24mmx3.5m Yellow label	522-272	unit	1+	35·10	6+ 33·80	12+	32·50
Nylon 24mmx5.5m White/Clear label	522-298	unit	1+	35·10	6+ 33·80	12+	32·50

www.nguyenxuong.com

Industrial Tapes

DYMO

1234 1234

- For use with the ILP 219 ID1 labelling machine

Material	Tape Width (mm)	Tape Length (m)	Print Colour	Backing Colour	Tape Dimensions (mm)	Stock no.
Nylon	12	3.5	Black on White	White	12	478-0025
Nylon	19	3.5	Black on White	White	19	478-0031
Nylon	12	3.5	Black on Yellow	Yellow	12	478-0047
Nylon	19	3.5	Black on Yellow	Yellow	19	478-0053
Polyester	9	5.5	Black on White	White	9	478-0069
Polyester	12	5.5	Black on White	White	12	478-0075
Polyester	19	5.5	Black on White	White	19	478-0081
Polyester	9	5.5	Metallised	–	9	478-0104
Polyester	12	5.5	Metallised	–	12	478-0110
Polyester	19	5.5	Metallised	–	19	478-0126
Vinyl	9	5.5	Black on Yellow	Yellow	9	478-0132
Vinyl	12	5.5	Black on Yellow	Yellow	12	478-0148
Vinyl	19	5.5	Black on Yellow	Yellow	19	478-0160
Vinyl	19	5.5	Black on Orange	Orange	19	478-0198
Vinyl	12	5.5	Black on Red	Red	12	478-0227
Vinyl	19	5.5	Black on Red	White	19	478-0233
Vinyl	19	5.5	Black on Green	Green	19	478-0261
Vinyl	9	5.5	Black on White	White	9	478-0277
Vinyl	12	5.5	Black on White	White	12	478-0283
Vinyl	19	5.5	Black on White	White	19	478-0299

Description	Stock no.	Price per	OM	S$	S$	S$	S$
12mm Black on White Flexible Nylon	478-0025	unit	1+	26·60	6+	25·50	12+ 25·00
19mm Black on White Flexible Nylon	478-0031	unit	1+	29·20	6+	28·00	12+ 27·50
12mm Black on Yellow Flexible Nylon	478-0047	unit	1+	27·90	6+	26·80	12+ 26·20
19mm Black on Yellow Flexible Nylon	478-0053	unit	1+	29·20	6+	28·00	12+ 27·50
9mm Black on White Polyester	478-0069	unit	1+	26·30	6+	25·20	12+ 24·60
12mm Black on White Polyester	478-0075	unit	1+	26·20	6+	25·10	12+ 24·60
19mm Black on White Polyester	478-0081	unit	1+	31·10	6+	29·80	12+ 29·20
9mm Metallised Polyester mm	478-0104	unit	1+	22·10	6+	21·20	12+ 20·70
12mm Metallised Polyester mm	478-0110	unit	1+	29·10	6+	27·90	12+ 27·40
19mm Metallised Polyester mm	478-0126	unit	1+	29·70	6+	28·50	12+ 27·90
9mm Black on Yellow Vinyl	478-0132	unit	1+	28·10	6+	27·00	12+ 26·30
12mm Black on Yellow Vinyl	478-0148	unit	1+	26·40	6+	25·30	12+ 24·80
19mm Black on Yellow Vinyl	478-0160	unit	1+	29·70	6+	28·50	12+ 27·90
19mm Black on Orange Vinyl	478-0198	unit	1+	26·70	6+	25·60	12+ 25·10
12mm Black on Red Vinyl	478-0227	unit	1+	26·40	6+	25·30	12+ 24·80
19mm Black on Red Vinyl	478-0233	unit	1+	29·70	6+	28·50	12+ 27·90
19mm Black on Green Vinyl	478-0261	unit	1+	26·70	6+	25·60	12+ 25·10
9mm Black on White Vinyl	478-0277	unit	1+	29·20	6+	28·00	12+ 27·30
Vinyl 12mm Blk-on-Wht	478-0283	unit	1+	29·10	6+	27·90	12+ 27·40
19mm black on white Vinyl	478-0299	unit	1+	30·90	6+	29·60	12+ 29·00

Dymo Desktop

LabelManager 120P

DYMO

The new LabelManager 120P has quick access buttons for the most popular features that people use and want: bold text, vertical text, underline text, boxed text and font size. No more looking for these features, just press the quick access buttons.,Besides that, it’s an all-purpose, yet basic abc style keyboard portable label maker at a competitive price.

- The graphical display shows exactly how your label will print. This means no more guessing what the label will look like. What you see is what you get!
- Easy navigation from start to print.
- Quick access buttons to symbols and diacriticals (for instance é, à, ç,...).
- Auto power-off to extend battery life.
- Requires 6 x AA batteries, see stock no 591-225

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0893920	522-266	unit	1+	68·50		

FIND IT.
DESIGN IT.
BUY IT.
www.rssingapore.com

Dymo LabelManager 150

DYMO

- Economical, compact and easy to operate, for instant labels
- 13 character semi-graphical clear display
- QWERTY keyboard
- 2 line printing
- 7 print styles and 3 fonts types
- 70 character label memory storage
- Incremental numbering and multiple copies
- Prints on 6mm, 9mm and 12mm DYMO tape
- Power: 5 x AA batteries or DYMO D1 mains adapter
- Dimensions (L x W x H): 155 x 165 x 65
- Weight: 700g

Stock no.	Price per	OM	S$	S$	S$
518-4254	unit	1+	103·00		

LabelManager 210D

DYMO

The new LabelManager 210D is the Label maker that belongs on every desk. Versatile, yet easy to use: the LabelManager 210D has all the Features a professional label maker should have

- Prints labels on 6, 9 and 12mm
- Unlike other label makers, the large graphic display shows exactly how your label will print. This means no more guessing what the label will look like. What you see is what you get!
- Easy navigation from start to print
- Quick access buttons to symbols, punctuation and diacriticals (e.g. 6 font sizes, 7 styles, 8 different boxes to customize your label Prints 1 or 2 lines per label (on 9 mm)
- Auto power-off to extend battery life or an adapter as an accessory
- Requires 6 x AA batteries, see stock no 591-225
- 1 Power adapter for 220V power connection (optional rs 386-3674)

This handy kit contains (rs 660-6825**) :**
1 versatile and easy-to-use LabelManager 210D
1 set of AA alkaline batteries
1 Dymo D1 label cassette 12 mm x 3 m black print on white tape
1 Dymo D1 label cassette 12 mm x 7 m black pint on yellow tape

Description	Stock no.	Price per	OM	S$	S$	S$
LabelManager 210D	660-6821	unit	1+	102·50		

LabelManager 260P

DYMO

The DYMO® LabelManager® 260P label maker eliminates the inconvenience of AA batteries – Charge and go unlike an AC adapter, labeling power whenever you need it.,The sleek new design is perfect for any office or workspace. And it’s packed with new features – inspired by LabelManager consumers– that help you get the results you want with more ease and convenience.

- Large 1.18in. x 2.36in. screen displays two lines of label text
- Graphical display lets you see text effects on screen before you print.
- Work faster with an improved user interface that displays all menu options onscreen without scrolling, and includes intuitive icons for formatting options
- Customize labels and add emphasis by choosing from 3 fonts styles, 6 font sizes, one of the many styles, and one of 8 different box styles or underline
- Uses DYMO D1 labels in 6, 9 and 12 mm widths
- Powered by a rechargeable lithium-ion battery – the same technology used in mobile phones and laptops
- Eliminates the AA battery inconvenience, waste and disposal
- 9-label memory and “save text” feature
- Print up to 10 copies of the same label
- Enter text quickly using the familiar ABC-style keyboard
- Quick access to special symbols including punctuation and currency

Supplied with: *Label maker, lithium-ion battery, charging cord, starter label cassette, manual and 1-year warranty card*

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0979600	686-8098	unit	1+	110·00		

Dymo LabelManager 350

DYMO

- Versatile and fast label printer, ideal for organising the office
- Large 16 character x 2 line semi-graphical display
- QWERTY keyboard
- Prints on 6, 9, 12, 19mm DYMO tape
- 11 print styles and 6 fonts types
- Incremental numbering and multiple copies
- Last 10 labels printed memory, 10 label memo storage and 10 label template memory
- Power: 6 x AA batteries or DYMO D1 mains adapter
- Dimensions (L x W x H): 245 x 215 x 85
- Weight 1.5kg

Description	Stock no.	Price per	OM	S$	S$	S$
LabelManager 350 Aus/NZ	518-4260	unit	1+	195·50		
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

www.nguyenxuong.com

LabelManager 360D

Powered by a lithium-ion battery – the same technology used to power cell phones and laptop computers. Charge and go unlike an AC adapter, labeling power whenever you need it., The DYMO® LabelManager® 360D label maker eliminates the inconvenience of AA batteries. Plus get the results you want faster and easier than ever, thanks to new features inspired by consumers.

- Large 1.5in. x 2.75in. screen displays two lines of label text
- Graphical display lets you see text effects on screen before you print
- Work faster with an improved user interface that displays all menu items without scrolling, and includes intuitive icons for formatting options
- Customize labels and add emphasis by choosing from 3 font styles, 7 font sizes, one of the many styles, and one of 8 different box styles or underline
- Uses DYMO D1 labels in 6, 9, 12 and 19 mm widths
- Powered by a rechargeable lithium-ion battery – the same technology used in mobile phones and laptops
- Eliminates AA battery inconvenience, expense and disposal
- 9-label memory and "save text" feature
- Print up to 10 copies of the same label
- Familiar QWERTY keyboard speeds text entry
- Quick access to special symbols including punctuation and currency

Supplied with: *Label maker, lithium-ion battery, charging cord, starter label cassette, manual and 1-year warranty card*

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0879480	686-8091	unit	1+	177·50		

Dymo LabelManager 450

Powerful and versatile state of the art labelmaker for every labelling need.

- Stylish desktop design
- QWERTY Keyboard
- Prints on D1 6, 9, 12, 19 & 24mm tape.
- Save up to 10 personal format preferences.
- 10 Label memory and last 15 labels printed memory.
- Computer connectivity USB.
- Uses 6 x AA batteries or mains power adapter
- Quick and easy-to-use software user interface including many shortcut keys.

Description	Stock no.	Price per	OM	S$	S$	S$
LabelManager 450 UK	203-414	unit	1+	370·00		
LabelManager 450 Aus/NZ	518-4311	unit	1+	280·00		
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

Dymo LabelManager PC

Innovative, compact and stylish design

- Easy to use label software with Microsoft Word like interface
- Comprehensive DLM software option
- Standard Windows printer drivers
- Uses D1 tape system
- 6, 9, 12, 19 and 24mm tapes
- Broad range of fonts, styles and backgrounds
- Vertical and horizontal printing

Description	Stock no.	Price per	OM	S$	S$	S$
LabelManager PC Aus/NZ	518-4276	unit	1+	195·50		
Mains adaptor, BS1363	386-3674	unit	1+	56·50		
Mains adaptor, Aus/NZ	472-8904	unit	1+	70·00		

Dymo LabelWriter 400

The Dymo LabelWriter 400 series offer a fast and easy way to print labels from a PC in seconds without tying up the main printer. Advanced software allows the user to produce sophisticated labels with images, logos and even barcodes if required.

- Laser sharp 300dpi
- Compact unit takes up minimal desk space
- First label rewind prevents loss of first label on loading
- Easy to use software integrates with Microsoft Office
- Address book database
- Dimensions: 127 x 185 x 133mm
- Prints barcode 39 and code 128
- 40 labels per minute print speed
- Available with either BS1363 type or Aus/Nz mains plug fitted

Supplied with: *Software, power adaptor, USB connection cable, roll of address labels and cleaning card.*

Description	Stock no.	Price per	OM	S$	S$	S$
LabelWriter 400 Aus/NZ	629-0805	unit	1+	198·00		

Dymo LabelWriter 400 Turbo

The Dymo LabelWriter 400 series offer a fast and easy way to print labels from a PC in seconds without tying up the main printer. Advanced software allows the user to produce sophisticated labels with images, logos and even barcodes if required.

- Laser sharp 300dpi quality
- Compact unit takes up minimal desk space
- First label rewind prevents loss of first label on loading
- Easy to use software integrates with Microsoft Office
- Address book database
- Dimensions: 127 x 185 x 133mm
- Prints barcode 39 and code 128
- 55 labels per minute print speed
- Available with either BS1363 type or Aus/Nz mains plug fitted

System Requirements: Windows 98/ME/2000/XP; Mac OS 10.2x/10.3.3; USB port**Starter kit:**Contains 2 x standard address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool.

Supplied with: *Software, power adaptor, USB connection cable, roll of address labels and cleaning card.*

Starter kit: Contains 2 x standard address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool.

Stock no.	Price per	OM	S$	S$	S$
629-0811	unit	1+	300·00		

Dymo LabelWriter Duo

The Dymo LabelWriter 400 series offer a fast and easy way to print labels from a PC in seconds without tying up the main printer. Advanced software allows the user to produce sophisticated labels with images, logos and even barcodes if required.

- Laser sharp 300dpi quality
- Compact unit takes up minimal desk space
- First label rewind prevents loss of first label on loading
- Easy to use software integrates with Microsoft Office
- Address book database
- Dimensions: 127 x 185 x 133mm
- Prints barcode 39 and code 128
- 55 labels per minute print speed
- Supports 6, 9, 12, 19 and 24mm D1 tapes
- Available with either BS1363 type or Aus/Nz mains plug fitted

System Requirements: Windows 98/ME/2000/XP; Mac OS 10.2x/10.3.3; USB port

Supplied with: *Software, power adaptor, USB connection cable, roll of address labels and cleaning card.*

Starter kit: Contains 2 x standard address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool.

Stock no.	Price per	OM	S$	S$	S$
629-0754	unit	1+	440·00		

Dymo LabelWriter Twin Turbo

The Dymo LabelWriter 400 series offer a fast and easy way to print labels from a PC in seconds without tying up the main printer. Advanced software allows the user to produce sophisticated labels with images, logos and even barcodes if required.

- Laser sharp 300dpi quality
- Compact unit takes up minimal desk space
- First label rewind prevents loss of first label on loading
- Easy-to-use software integrates with Microsoft Office
- Address book database
- Prints barcode 39 and code 128
- Ideal for large volume label printers or those requiring the flexibility to choose between two label styles or sizes
- 55 labels per minute print speed
- Dimensions: 140 x 201 x 190 mm
- Available with either BS1363 type or Aus/Nz mains plug fitted

System Requirements: Windows 98/ME/2000/XP; Mac OS 10.2x/10.3.3; USB port

Supplied with: *Software, power adaptor, USB connection cable, roll of address labels and cleaning card.*

Description	Stock no.	Price per	OM	S$	S$	S$
LabelWriter Twin Turbo Aus/NZ	629-0827	unit	1+	380·00		

Dymo LabelWriter 320/330

Dymo label printers are the fast and easy way to print labels in seconds from your PC.

- Small, quiet, fast and easy-to-use thermal printers
- Prints laser quality labels to 300 dpi
- Label sizes up to 60mm wide
- Print Speed (Labels per min) 320 = 16 and 330 = 32
- Ideal for addressing envelopes and packages, shipping labels, diskettes, name badges and files
- Ideal for one-at-a-time labels
- Software provides pre-defined label templates

System Requirements:
320 - Windows 95/98/ME/2000, 32MB RAM, 8MB HD
330 - Windows 95/98/ME/2000/NT 4.0, 32MB RAM, 8MB HDD

Supplied with: *Windows label software, adaptor, PC connection cable roll of large address labels and cleaning card*

Description	Manu. Part No.	Stock no.
LabelWriter 320	LABELWRITER 320	518-4298
LabelWriter 330	LABELWRITER 330 TURBO	518-4305

Description	Stock no.	Price per	OM	S$	S$	S$
LabelWriter 320	518-4298	unit	1+	370·00		
LabelWriter 330	518-4305	unit	1+	465·00		

Many more leading brands from over 2,500 suppliers available online

www.nguyenxuong.com

LabelWriter 450

Take the hassles out of label printing with the DYMO® LabelWriter® 450 label printer,Label, mail, and file smarter with proprietary DYMO Label™ v.8. DYMO Label™ software enables you to create and print address, shipping, file, folder and barcode labels, plus name badges and more – all without the extra work and hassles of printing sheet labels on a standard desktop printer

- Print up to 51 labels per minute*
- No expensive ink or toner needed, ever
- Print labels directly from Microsoft® Word, Excel®, Outlook® and CardScan®
- Built-in address book easily prints labels from your Outlook® Contacts or Mac® Address Book – just search and filter your contacts to print exactly the labels you want
- Quickly create a one-off label with the QuickPrint widget
- Works with Windows® XP, Windows Vista™, Windows® 7 or Mac OS® v10.4 or later
- USB connected; includes cords, cables, software, instructions and starter labels
- **Starter kit:** RS 540-8229 Contains 2 x standards address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool. (DYMO 450 LABEL WRITER IS NOT INCLUDED)
- **CD label starter kit:** RS 540-8257 Contains 2 x CD/DVD label rolls and applicator.
- 2 year limited warranty

Note: *4-line address label

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
S0838810	686-8095	unit	1+	168·50		

LabelWriter 450 Turbo

DYMO® LabelWriter® 450 Turbo: The high-speed, hassle-free labeling and mailing solution for your busy office,DYMO Label™ v.8 software enables you to create and print address, shipping, file, folder and barcode labels, plus name badges and more – all without the extra work and hassles of printing sheet labels on a standard desktop printer.

- Prints fast – up to 71 labels per minute*
- No expensive ink or toner needed, ever
- Print labels directly from Microsoft® Word, Excel®, Outlook® and CardScan®
- Quickly create a one-off label with the QuickPrint widget
- Print one label or hundreds, without the waste and layout hassles of sheet labels
- Print crystal-clear text, graphics and barcodes with improved 600 x 300 dpi graphics mode
- Browse all available label layouts on screen – quickly find the best label for any job
- Conserve power with new "sleep mode"
- Share with co-workers using Windows/Mac printer sharing
- Works with Windows® XP, Windows Vista™, Windows® 7 or Mac OS® v10.4 or later
- **Starter kit:** RS 540-8229 Contains 2 x standards address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool. (DYMO 450 LABEL WRITER IS NOT INCLUDED)
- **CD label starter kit:** RS 540-8257 Contains 2 x CD/DVD label rolls and applicator.

Note: *4-line address label.

Supplied with: *USB connected; includes cords, cables, software, instructions and starter labels, 2-year limited warranty*

Stock no.	Price per	OM	S$	S$	S$
686-8105	unit	1+	235·00		

LabelWriter 450 Duo

Print the widest variety of DYMO labels with one versatile printer: DYMO® LabelWriter® 450 Duo label printer,Label, mail, and file smarter with proprietary DYMO Label™ v.8. DYMO Label v.8 enables you to create and print address, shipping, file, folder and barcode labels, plus name badges and more – all without the extra work and hassles of printing sheet labels on a standard desktop printer

- Print paper labels and permanent DYMO D1 plastic labels in a variety of colors and sizes
- DYMO D1 plastic labels are durable and ideal for hard goods like computers and file cabinets
- Print fast – paper labels up to 71 per minute*
- Print labels directly from Microsoft® Word, Excel®, Outlook® and CardScan®
- Quickly create a one-off label with the QuickPrint widget
- Works with Windows® XP, Windows Vista™, Windows® 7 or Mac OS® v10.4 or later
- **Starter kit:** RS 540-8229 Contains 2 x standards address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool. (DYMO 450 LABEL WRITER IS NOT INCLUDED)
- **CD label starter kit:** RS 540-8257 Contains 2 x CD/DVD label rolls and applicator.

Note: *4-line address label

Supplied with: *USB cable, software, instructions and starter labels, 2-year limited warranty*

Stock no.	Price per	OM	S$	S$	S$
686-8108	unit	1+	340·00		

LabelWriter 450 Twin Turbo

Increase your labeling and mailing efficiency with the DYMO® LabelWriter® 450 Twin Turbo label printer,The DYMO LabelWriter 450 Twin Turbo label printer holds two label rolls, so you can print address and shipping labels even faster. Label, mail, and file smarter with proprietary DYMO Label v.8. DYMO Label v.8 enables you to create and print address, shipping, file, folder and barcode labels, plus name badges and more – all without the extra work and hassles of printing sheet labels on a standard desktop printer.

- Prints fast – up to 71 labels per minute*
- Print labels directly from Microsoft® Word, Excel®, Outlook® and CardScan®
- Quickly create a one-off label with the QuickPrint widget
- Works with Windows® XP, Windows Vista™, Windows® 7 or Mac OS® v10.4 or later
- **Starter kit:** RS 540-8229 Contains 2 x standards address labels, 2 x large address labels, 1 x large lever arch file label, 1 x suspension file, 1 x shipping/name badge and 1 x spare roll spool. (DYMO 450 LABEL WRITER IS NOT INCLUDED)
- **CD label starter kit:** RS 540-8257 Contains 2 x CD/DVD label rolls and applicator.

Note: *4-line address label

Supplied with: *USB connected; includes cords, cables, software, instructions and starter labels, 2-year limited warranty*

Stock no.	Price per	OM	S$	S$	S$
686-8102	unit	1+	310·00		

Dymo Machine Tapes

Heat Shrink Tubes

A non-adhesive yet permanent solution to identify and protect wire and cables at the same time. DYMO's heat shrink 1:3 polyolefin tubes provide clean and permanent marking for a wide range of cable diameters. These sleeves are applied before connection and can be permanently positioned after connection when shrunk with a heat-gun.

- 3:1 shrink ratio
- Conforms tightly to the wire when heat is applied
- Heat-shrinkable polyolefin
- Does not smudge or fade when printed.
- The legend remains legible even after exposure to abrasion,cleaning solvents or industrial fluids
- Flame retardant
- MIL-DTL-23053/5 classes 1 and 3

Recommended cable diameter range

Tube diameter	Cable diameter range
6 mm	min. 1.18 mm – max. 2.33 mm
9 mm	min. 1.73 mm – max. 3.73 mm
12 mm	min. 2.97 mm – max. 5.13 mm
19 mm	min. 4.64 mm – max. 8.70 mm

Machine Suitability RhinoPRO Tape Length 1.5 m
Laminated No

Manu. Part No.	Tape Dimensions (mm)	Backing Colour	Stock no.
18051	6	White	515-6760
18055	12	White	515-5565
18057	19	White	515-6782
RP/ID1-6-1400YL	6	Yellow	515-6798
RP/ID1-9-1400YL	9	Yellow	515-6805
RP/ID1-12-1400YL	12	Yellow	515-6827
RP/ID1-19-1400YL	19	Yellow	515-6833

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$	S$
18051	515-6760	unit	1+	31·00	6+	30·00	12+ 29·40
18055	515-5565	unit	1+	42·00	6+	40·70	12+ 39·90
18057	515-6782	unit	1+	47·70	6+	46·20	12+ 45·30
RP/ID1-6-1400YL	515-6798	unit	1+	31·00	6+	30·00	12+ 29·40
RP/ID1-9-1400YL	515-6805	unit	1+	35·40	6+	34·30	12+ 33·60
RP/ID1-12-1400YL	515-6827	unit	1+	39·80	6+	38·50	12+ 37·80
RP/ID1-19-1400YL	515-6833	unit	1+	53·00	6+	51·50	12+ 50·50

Non-adhesive Tags (Inserts)



This non-adhesive polypropylene solution is tear-proof and offers a flexible way of providing high-quality on-the-spot labelling. You can cut the insert to the size you need that fits with any label holder. The label can easily be removed and replaced.

Polypropylen material:

- Rigid and untearable which makes it a very durable solution.
- High print quality performance

Easy to use:

- The label can easily be removed and replaced from any holder

Machine Suitability RhinoPRO Laminated No
Tape Length 5.5 m

Manu. Part No.	Tape Dimensions (mm)	Backing Colour	Stock no.
18111	6	White	515-6849
18113	12	White	515-6861
18114	19	White	515-6877
18115	6	Yellow	515-6883
18117	12	Yellow	515-6906
18118	19	Yellow	515-6912

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$	S$
18111	515-6849	unit	1+	16·00	6+	15·50	12+ 15·20
18113	515-6861	unit	1+	17·90	6+	17·30	12+ 17·10
18114	515-6877	unit	1+	18·90	6+	18·30	12+ 18·00
18115	515-6883	unit	1+	16·00	6+	15·50	12+ 15·20
18117	515-6906	unit	1+	17·90	6+	17·30	12+ 17·10
18118	515-6912	unit	1+	18·90	6+	18·30	12+ 18·00

www.nguyenxuong.com

Letratag Tapes

Machine suitability

LetraTag QX50; XM; XR

Tape Dimensions 12 mm
Tape Length 4 m

Print Colour	Backing Colour	Material	Stock no.
Black on White	White	Paper	351-9276
Black on White	White	Plastic	351-7034
Black on Yellow	Yellow	Plastic	351-7040
Black on Red	Red	Plastic	351-9282
Black on Green	Green	Plastic	351-9298
Black on Blue	Blue	Plastic	351-9305
Metallic Black on Silver	Silver	Metallic	351-7056

Print Colour	Stock no.	Price per	OM	S$		S$		S$
Black on White	351-9276	unit	1+	9·50	6+	9·25	12+	9·10
Black on White	351-7034	unit	1+	12·40	6+	12·00	12+	11·80
Black on Yellow	351-7040	unit	1+	11·80	6+	11·40	12+	11·30
Black on Red	351-9282	unit	1+	11·20	6+	10·80	12+	10·60
Black on Green	351-9298	unit	1+	12·40	6+	12·00	12+	11·80
Black on Blue	351-9305	unit	1+	11·20	6+	10·80	12+	10·60
Metallic Black on Silver	351-7056	unit	1+	13·00	6+	12·60	12+	12·40

D1 6mm and 9mm Labelling Tapes

Machine Suitability

Dymo 2000; Dymo LabelManager 200; Dymo LabelManager 300; LabelManager 100 Plus; LabelManager PC; Dymo LabelPoint 200; Dymo LabelPoint 300

1234

Tape Length 7 m

Tape Dimensions (mm)	Print Colour	Laminated	Stock no.
6	Black on Clear	*	208-6630
6	Black on Yellow	*	208-6652
6	Black on White	*	208-6668
9	Black on Clear	Yes	203-0441
9	Black on White	Yes	203-0457
9	Black on Blue	Yes	217-0202
9	Black on Red	Yes	203-0479
9	Black on Yellow	Yes	203-0485
9	Black on Green	Yes	217-0218
9	Blue on White	Yes	217-0195
9	Red on White	Yes	203-0463

Tape Dimensions (mm)	Backing Colour	Stock no.	Price per	OM	S$		S$		S$
6	–	208-6630	unit	1+	22·20	6+	21·30	12+	20·90
6	Yellow	208-6652	unit	1+	24·50	6+	23·50	12+	23·00
6	White	208-6668	unit	1+	24·50	6+	23·50	12+	23·10
9	–	203-0441	unit	1+	25·30	6+	24·30	12+	23·80
9	White	203-0457	unit	1+	25·00	6+	24·00	12+	23·50
9	Blue	217-0202	unit	1+	24·00	6+	23·10	12+	22·60
9	Red	203-0479	unit	1+	24·00	6+	23·10	12+	22·60
9	Yellow	203-0485	unit	1+	25·30	6+	24·30	12+	23·80
9	Green	217-0218	unit	1+	24·00	6+	23·10	12+	22·60
9	White	217-0195	unit	1+	24·00	6+	23·10	12+	22·60
9	White	203-0463	unit	1+	26·30	6+	25·30	12+	24·70

D1 12mm Labelling Tapes

Machine suitability

Dymo 2000; Dymo LabelManager 100; Dymo LabelManager 200; Dymo LabelManager 300; Dymo LabelPoint 200; Dymo LabelPoint 300; Dymo Pocket; LabelPoint 100; LabelManager 100+; LabelManager PC

1234

Tape Dimensions 19 mm Tape Length 23 ft
Laminated Yes

Print Colour	Stock no.	Price per	OM	S$		S$		S$
Black on Clear	497-410	unit	1+	24·10	6+	23·20	12+	22·70
Red on Clear	497-426	unit	1+	24·10	6+	23·20	12+	22·70
Black on White	497-432	unit	1+	23·80	6+	22·90	12+	22·40
Blue on White	497-448	unit	1+	24·10	6+	23·20	12+	22·70
Red on White	497-454	unit	1+	24·10	6+	23·20	12+	22·70
Black on Red	497-460	unit	1+	34·00	6+	32·70	12+	32·00
Black on Yellow	497-476	unit	1+	24·10	6+	23·20	12+	22·70
Blue on Clear	494-635	unit	1+	20·50	6+	19·70	12+	19·30
Black on Blue	494-641	unit	1+	24·10	6+	23·20	12+	22·70
Black on Green	494-657	unit	1+	24·10	6+	23·20	12+	22·70
White on Clear	217-2343	unit	1+	24·10	6+	23·20	12+	22·70
White on Black	217-0189	unit	1+	24·10	6+	23·20	12+	22·70

D1 19mm Labelling Tapes

Machine suitability

Dymo 2000; Dymo LabelManager 200; Dymo LabelPoint 300; Dymo LabelManager 300; LabelManager PC

1234

Tape Dimensions 19 mm Tape Length 23 ft
Laminated Yes

Print Colour	Stock no.	Price per	OM	S$		S$		S$
Black on Clear	223-3000	unit	1+	21·70	6+	20·80	12+	20·40
Black on White	223-3038	unit	1+	29·30	6+	28·20	12+	27·60
Blue on White	223-3050	unit	1+	24·10	6+	23·20	12+	22·70
Red on White	223-3066	unit	1+	24·10	6+	23·20	12+	22·70
Black on Red	223-3088	unit	1+	24·10	6+	23·20	12+	22·70
Black on Yellow	223-3094	unit	1+	29·30	6+	28·20	12+	27·50
Black on Blue	223-3072	unit	1+	24·10	6+	23·20	12+	22·70
Black on Green	223-3117	unit	1+	24·10	6+	23·20	12+	22·70
White on Black	223-3139	unit	1+	24·10	6+	23·20	12+	22·70

D1 24mm Labelling Tapes

- Machine suitability:- Dymo LabelManager 300, LabelManager PC & Labelwriter duo

Tape Dimensions 24 mm

1234

Print Colour	Backing Colour	Stock no.	Price per	OM	S$		S$		S$
Black on Clear	–	386-3567	unit	1+	31·80	6+	30·50	12+	29·90
Black on White	White	386-3573	unit	1+	33·40	6+	32·10	12+	31·40
Red on White	White	386-3595	unit	1+	31·80	6+	30·50	12+	29·90
Black on Yellow	Yellow	386-3630	unit	1+	33·40	6+	32·10	12+	31·40

D1 12mm and 19mm Polyester Labelling Tapes

These 5.5m polyester high strength glue tapes are ideal for asset marking, shelf marking, equipment identification and for textured surfaces.

1234

Machine suitability

Dymo LabelPOINT; Dymo LabelManager; Dymo Pocket; Dymo 2000; Dymo 4500; Dymo 5000

Print Colour Black on White Material Polyester
Backing Colour White Tape Length 3.5 m

Tape Dimensions (mm)	Stock no.	Price per	OM	S$		S$		S$
12	449-3945	unit	1+	26·20	6+	25·40	12+	24·90
19	449-3951	unit	1+	33·50	6+	32·20	12+	31·50

D1 12mm and 19mm Flexible Nylon Labelling Tapes

These adaptable permanent adhesive tapes bend in any direction to fit on curved surface. Suitable for virtually any surface including heavily textured surfaces.

1234

Machine suitability

Dymo LabelPOINT; Dymo LabelManager; Dymo Pocket; Dymo 2000; Dymo 4500; Dymo 5000

Print Colour Black on White Material Nylon
Backing Colour White Tape Length 3.5 m

Tape Dimensions (mm)	Stock no.	Price per	OM	S$		S$		S$
12	449-3658	unit	1+	35·40	6+	34·40	12+	33·70
19	449-3939	unit	1+	32·10	6+	30·90	12+	30·20

LabelWriter Labels

- White and clear labels to suit most labelling needs
- Supplied on rolls and easy to load

Selection guide

Description	Size	Label Qty.	Machine
Shipping/name badge	101 x 54 mm	1 roll x 220	LW320, LW330, EL60, Turbo
Shipping label	152 x 102 mm	-	LW450 4XL
Standard Address	28 x 89 mm	2 rolls x 130	EL40. EL60, 310, 320, 330
Large Address	36 x 89 mm	2 rolls x 260	EL40. EL60, 310, 320, 330, LW400, Duo, Turbo, Twin
Diskette	54 x 70 mm	1 roll x 320	EL60, 320, 330, LW400, Duo, Turbo, Twin
Suspension File	50 x 12 mm	1 roll x 220	EL40. EL60, 310, 320, 330
Lever Arch File	38 x 190 mm	1 roll x 110	EL40. EL60, 310, 320, 330
Video Top/Spine	46 x 78 mm	2 rolls x 150	EL60, 310, 320, 330, LW400, Duo, Turbo, Twin
Large Address Plastic	89 x 36 mm	1 roll x 260	LW310, LW320, LW330, EL40, EL60, , LW400, Duo, Turbo, Twin
Return Address International	54 x 25 mm	500	LW320, LW330, EL60, Turbo
Multi-Purpose	24 x 12 mm	1000	LW310, LW320, LW330, EL40, EL60, LW400, Duo, Turbo, Twin
Multi-Purpose	57 x 32 mm	1000	LW320, LW330, EL60, LW400, Duo, Turbo, Twin
Multi-Purpose	51 x 19 mm	500	LW310, LW320, LW330, EL40, EL60, LW400, Duo, Turbo, Twin
White Name Badge	89 x 41 mm	300	LW320, LW330, EL60, LW400, Turbo
CD/DVD Labels	Diameter 57 mm	160	LW320, LW330, LW400, Duo, Turbo, Twin
Standard Address Labels	89 x 28 mm	4 x 130	LW310, LW320, LW330, EL40, EL60, LW400, Duo, Turbo, Twin

Description	Backing Colour	Stock no.
Shipping Name Badge (White)	White	341-5483
Standard Address (White)	White	329-8418
Large Address (White)	White	329-8424
Diskette (White)	White	329-8430
Suspension File (White)	White	329-8446
Large Address Plastic	–	341-5461
Return Address International	*	541-8080
Multi-Purpose	*	541-8024
Multi-Purpose	*	541-8030
Multi-Purpose	*	541-8052
White Name Badge	White	540-8213

continued on next page

www.nguyenxuong.com

continued from previous page

Description	Backing Colour	Stock no.
CD/DVD Labels	*	541-8068
Standard Address Labels, Assorted Colours	*	541-8018
Large Lever Arch Labels	*	541-8074

Description	Stock no.	Price per	OM	S$	S$		S$	
Shipping Name Badge (White)	341-5483	box of 220	1+	42·40	6+	41·20	12+	40·30
Standard Address (White)	329-8418	box of 260	1+	35·60	6+	34·20	12+	33·50
Large Address (White)	329-8424	box of 520	1+	60·50	6+	58·00	12+	57·00
Diskette (White)	329-8430	box of 320	1+	51·50	6+	49·40	12+	48·30
Suspension File (White)	329-8446	box of 220	1+	24·50	6+	23·50	12+	23·00
Large Address Plastic	341-5461	box of 260	1+	48·60	6+	47·20	12+	46·20
Return Address International	541-8080	unit	1+	32·60	6+	31·60	12+	31·30
Multi-Purpose	541-8024	unit	1+	39·40	6+	38·30	12+	37·90
Multi-Purpose	541-8030	unit	1+	54·50	6+	52·50	12+	52·00
Multi-Purpose	541-8052	unit	1+	25·40	6+	24·70	12+	24·40
White Name Badge	540-8213	unit	1+	56·50	6+	55·00	12+	54·50
CD/DVD Labels	541-8068	unit	1+	33·80	6+	32·90	12+	32·50
Standard Address Labels, Assorted Colours	541-8018	unit	1+	73·50	6+	71·50	12+	70·50
Large Lever Arch Labels	541-8074	unit	1+	51·50	6+	49·80	12+	49·40

Brother Machines

PT-1090 Labelling Machine

brother at your side

Versatile, practical and really easy to use; the PT-1090 is everything you could want in a hand-held printer, whether it's for the home or the office.

- Comes with Free Tape
- Portable and Lightweight Design
- Ergonomically designed with ABC keyboard for ease of use
- LCD preview screen
- Built in cutter enables accurate tape length
- 1x Font
- Deco Mode (Simply Stylish) (12 types) 3.5 mm, 6mm, 9mm & 12mm TZ Tape Widths
- 12 character x1 Line
- 1 or 2 Line Printing
- 7 Frame Styles
- New Cable Labelling function
- Time & Date function
- New inseparable rubber keys
- Batteries/Mains operation – Power supplied by 6x AAA batteries or AD-24ES (Energy Star) adapter (not included with machine)

Manu. Part No.	Stock no.	Price per	OM	S$	S$		S$	
PT1090ZU1	692-5784	unit	1+	70·50				

PT-7100VP Label Printer

brother at your side

The NEW Brother PT-7100VP prints durable labels on demand with 3.5, 6, 9 & 12mm tape widths. Over 35 common electrical and audio/visual related symbols are included, making this a perfect introductory label printer for any professional electrician. Designed with a protective rubber hand grip, it is supplied complete with a practical carry case with space for the AC adaptor and favourite TZ tape.

Supplied with: *Carrying Case, User's Guide,AC- Adapter (AD-24/ES),TZ-S631 12mm Black on yellow strong adhesive TZ tape (8m)*

- Prints labels up to 12mm wide (TZ)
- 3.5mm, 6mm, 9mm & 12 mm wide tapes available
- ABCD style keyboard
- Time & Date printing function
- 12 character 2 line LCD screen
- Up to 9mm print size
- Tape cutter
- 35 electrical and audio/visual specific symbols

Stock no.	Price per	OM	S$	S$	S$
669-9224	unit	1+	145·50		

PT-3600 Label Printer

brother at your side

NEW

- Up to 10240 character memory
- Barcode function
- 10 fonts
- 24 print sizes
- 28 framing and shading patterns
- USB interface for increased label capability
- Currency converter with Euro symbol
- Dimensions: 237(W) x 302(D) x 104(H) mm
- Mirror printing and horizontal-vertical printing

Supplied with: *User guide, 24mm & 36mm tape, Editor software (CD), AC adaptor.*

Tape Sizes	6; 9; 12; 18; 24; 36 (TZ)	Print Speed	20 mm/s
PC Connectable	Yes	Character Height	27.1 mm
LCD Display	Yes	Print Lines	16
Print Quality	360 dpi	Power Supply	AC Adaptor

Stock no.	Price per	OM	S$	S$	S$
N 450-5082	unit	1+	1025·00		

PT-7600 Labelling Machine

brother at your side

Brother P-Touch PT7600 hand held industrial labelling machine.

- Prints labels up to 24mm wide (TZ)
- 6mm, 9mm, 12 mm, 18mm and 24mm wide tapes available
- ABCD style keyboard
- 16 character 2 line backlit LCD screen
- USB data transfer function
- 8 print sizes
- 15 border/frame styles
- Manual label cutter

Supplied with: *Handy carry case and mains adaptor included*

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
4977766656108	518-637	unit	1+	330·00		

QL-650TD Desktop Label Printer

brother at your side

Whether you need to print one label or lots of labels the QL650TD is perfect for printing address & shipping labels, inventory labels, name badges, banners and signage. With a print speed of 90mm per second and in-built time and date printing you can print labels with or without a PC, making it perfect for a wide range of environments including, inventory management, Pharmaceutical/ medical, Shipping

- Up to 56 labels per minute print speed
- Print labels with or without PC
- LCD Display
- Quick time and date print feature
- Up to 62mm print width
- 300dpi direct thermal printing
- Easy to install label rolls
- Choice of die-cut and continuous labels
- USB and RS-232 interface
- Esc/P printing support
- Automatic Cutter
- 1 Year return to base warranty
- P-touch Editor - for fully customised labels:
- Link to a Microsoft Excel/CSV file to print your existing data
- Includes 1D/2D barcodes support
- Automatic time and date printing
- Quick Print Add-In - for Microsoft Word/Excel/Outlook toolbar
- Windows / Mac compatible

Supplied with: *1 x Starter Roll Die-Cut Round Paper Labels, 24mm x 24mm (250 labels), 1 x Starter Roll - Continuous Length White Paper (62mm x 8m)*
Setup & Operation Guide, Label Catch Tray, Cleaning Sheet (for print roller), CD ROM (Software/Driver/ User Guide),AC Power Cable, USB Cable

PC Connectable	Yes	QWERTY Keyboard	No
Print Quality	300 dpi	Power Supply	AC power cable
Print Speed	56 labels/min, 90 mm/sec	Tape Sizes	62

Stock no.	Price per	OM	S$	S$	S$
208-027	unit	1+	420·00		

QL-1050 Desktop Label Printer

brother at your side

The QL-1050 is Brother's latest addition to the range of professional label printers. Featuring a wider print head that enables you to print labels up to 102mm wide and improved print speeds of up to 110mm/second to maximise efficiency. Boasting many other additional features, including dual interfaces, a durable automatic built-in cutter and support for both die-cut and continuous length label rolls, its practical and functional design makes the QL1050 the ideal choice for many applications. Perfect for barcode printing, shipping and postage, temporary or indoor signage, visitor & event badges, best before / use by labels and office files and folders.

- 102mm (4") print width
- 300dpi direct thermal printing
- Up to 69 labels/minute, 110mm/s print speed
- High-speed durable cutter
- Easy to install label rolls
- 2048KB transfer memory
- USB & RS-232 serial port as standard
- ESC/P printing support
- Optional networking with the PS-9000 print server
- P-touch Editor - for fully customised labels:
- Link to a Microsoft Excel/CSV file to print your existing data
- Includes 1D/2D barcodes support
- Automatic time and date printing
- Address Book - for easy creation of shipping labels & visitor badges
- Quick Print Add-In - for Microsoft Word/Excel/Outlook toolbar
- Windows / Mac compatible

Supplied with: *Label catch tray, 2 x DK starter rolls containing: 40 large shipping labels DK11241 (102mmx152mm), 8m continuous paper roll DK22205 (62mm x 8m)*
USB cable, ac power cord, CD-ROM (Software/Driver/User Guide), Quick-start guide, DK rolls line-up guide

PC Connectable	Yes	QWERTY Keyboard	No
Print Quality	300 dpi	Power Supply	AC power cable
Print Speed	110 mm/s	Tape Sizes	102

Stock no.	Price per	OM	S$	S$	S$
208-005	unit	1+	430·00		

www.nguyenxuong.com

Brother Machines Tapes

MK Tapes

NEW

Machine suitability

PT-55; PT-65; PT-75; PT-85; PT-100; PT-110

Tape Length 8 m

Manu. Part No.	Laminated	Tape Dimensions (mm)	Print Colour	Backing Colour	Stock no.
MK221BZ	Yes	9	Black on White	White	223-1199
M-K222B	No	9	Red on White	White	461-1812
M-K223B	No	9	Blue on White	White	461-1828
MK521BZ	No	9	Black on Blue	Blue	461-1834
MK621BZ	No	9	Black on Yellow	Yellow	461-1840
MK231BZ	Yes	12	Black on White	White	223-1206
MK232B	No	12	Red on White	White	461-1862
MK233BZ	No	12	Blue on White	White	461-1878
MK531BZ	No	12	Black on Blue	Blue	461-1884
MK631BZ	No	12	Black on Yellow	Yellow	461-1890

Print Colour	Stock no.	Price per	OM	S$	S$	S$
Black on White	223-1199	unit	1+	22·60	6+ 21·80	12+ 21·20
Red on White	461-1812	unit	1+	17·40	6+ 16·70	12+ 16·40
Blue on White	461-1828	unit	1+	20·50	6+ 19·70	12+ 19·30
Black on Blue	N 461-1834	unit	1+	22·20	6+ 21·30	12+ 20·90
Black on Yellow	461-1840	unit	1+	17·40	6+ 16·80	12+ 16·40
Black on White	223-1206	unit	1+	24·70	6+ 23·80	12+ 23·30
Red on White	461-1862	unit	1+	20·50	6+ 19·70	12+ 19·30
Blue on White	461-1878	unit	1+	17·40	6+ 16·70	12+ 16·40
Black on Blue	N 461-1884	unit	1+	22·80	6+ 21·90	12+ 21·40
Black on Yellow	461-1890	unit	1+	20·50	6+ 19·70	12+ 19·30

TZe Tapes, 6 - 12mm

NEW



Machine suitability

PT-18R, PT-200, PT-210E, PT-220, PT-300, PT-310, PT-340C, PT-350, PT-540C, PT-550, PT-1000, PT-1200, PT-1800, PT-2400, PT-2450DX, PT-2460, PT-2480, PT-2500, PT-3600, PT-9200, PT-9400, PT-9500PC, PT-9600, PT1000P, PT1010, GL200, PT2420PC, PT1280DT, PT1830VP, PT1260VP, PT2100VP, PT2700VP, PT7500VP, PT7600VP

Laminated Yes

Description	Manu. Part No.	Tape Length (m)	Stock no.
6mm Black on Clear	TZ-111	8	194-1744
6mm Black on White	TZ-211	8	194-1750
6mm Black on Yellow	TZ-611	8	194-1766
6mm White on Black	TZ-315	8	235-0054
9mm Black on Clear	TZ-121	8	220-9754
9mm Black on White	TZ-221	8	220-9760
9mm Black on Yellow	TZ-621	8	220-9776
9mm Black on Blue	TZ-521	8	235-0060
9mm Black on Red	TZ-421	8	235-0076
9mm Red on White	TZ-222	8	235-0082
9mm White on Black	TZ-325	8	235-0098
9mm Blue on White	TZ-223	8	235-0127
9mm Black on Green	TZ-721	8	361-2628
12mm Black on White	TZ-231	8	157-2253
12mm Black on Yellow	TZ-631	8	157-2269
12mm Black on Clear	TZ-131	8	157-7040
12mm Red on White	TZ-232	8	208-4886
12mm Blue on White	TZ-233	8	208-4892
12mm White on Black	TZ-335	8	220-9782
12mm Black on Red	TZ-431	8	235-0133
12mm Gold on Black	TZ-334	8	235-0149
12mm Black on Blue	TZ-531	8	235-0155
12mm White on Blue	TZ535	8	325-3803
12mm Black on Green	TZ-731	8	361-2656
12mm White on Red	TZ-435	8	361-2684
12mm Black on Fluorescent Yellow	TZE-C31	5	361-2690
12mm Black on Fluorescent Orange	TZE-B31	5	361-2707

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
TZ-111	194-1744	unit	1+	20·80	6+ 20·00	12+ 19·60
TZ-211	194-1750	unit	1+	33·90	6+ 32·60	12+ 31·90
TZ-611	194-1766	unit	1+	24·50	6+ 23·50	12+ 23·10
TZ-315	235-0054	unit	1+	23·10	6+ 22·20	12+ 21·70
TZ-121	220-9754	unit	1+	28·90	6+ 27·80	12+ 27·20
TZ-221	220-9760	unit	1+	30·40	6+ 29·20	12+ 28·60
TZ-621	220-9776	unit	1+	30·40	6+ 29·20	12+ 28·60

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
TZ-521	235-0060	unit	1+	28·90	6+ 27·80	12+ 27·20
TZ-421	N 235-0076	unit	1+	37·10	6+ 35·60	12+ 34·90
TZ-222	235-0082	unit	1+	30·40	6+ 29·20	12+ 28·60
TZ-325	235-0098	unit	1+	26·00	6+ 25·00	12+ 24·40
TZ-223	N 235-0127	unit	1+	37·10	6+ 35·60	12+ 34·90
TZ-721	N 361-2628	unit	1+	37·10	6+ 35·60	12+ 34·90
TZ-231	157-2253	unit	1+	33·30	6+ 30·60	12+ 29·60
TZ-631	157-2269	unit	1+	33·40	6+ 32·10	12+ 31·40
TZ-131	157-7040	unit	1+	31·70	6+ 30·50	12+ 29·80
TZ-232	208-4886	unit	1+	28·40	6+ 27·30	12+ 26·70
TZ-233	208-4892	unit	1+	28·40	6+ 27·30	12+ 26·70
TZ-335	220-9782	unit	1+	31·70	6+ 30·50	12+ 29·80
TZ-431	235-0133	unit	1+	26·90	6+ 25·90	12+ 25·30
TZ-334	235-0149	unit	1+	31·70	6+ 30·50	12+ 29·80
TZ-531	235-0155	unit	1+	26·90	6+ 25·90	12+ 25·30
TZ535	325-3803	unit	1+	31·70	6+ 30·50	12+ 29·80
TZ-731	361-2656	unit	1+	26·90	6+ 25·90	12+ 25·30
TZ-435	361-2684	unit	1+	28·50	6+ 27·40	12+ 26·80
TZE-C31	N 361-2690	unit	1+	47·10	6+ 45·20	12+ 44·30
TZE-B31	361-2707	unit	1+	28·50	6+ 27·40	12+ 26·80

TZe Tapes, 18mm

Machine suitability

PT-18R, PT-210E, PT-220, PT-300, PT-310, PT-340C, PT-350, PT-540C, PT-550, PT-1800, PT1830VP, PT2100VP, PT-2400, PT2420PC, PT-2450DX, PT-2460, PT-2480, PT-2500, PT2700VP, PT-3600, PT7500VP, PT7600VP, PT-9200, PT-9400, PT-9500PC, PT-9600

Laminated Yes
Tape Dimensions 18 mm
Tape Length 8 m

Description	Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
Black on White	TZ-241	157-2275	unit	1+	40·50	6+ 39·00	12+ 38·10
Black on Yellow	TZ-641	157-2281	unit	1+	34·40	6+ 33·10	12+ 32·40
Black on Clear	TZ-141	157-2304	unit	1+	32·70	6+ 31·40	12+ 30·80
Black on Green	TZ-741	196-2987	unit	1+	32·70	6+ 31·50	12+ 30·80
Red on White	TZ-242	208-4915	unit	1+	32·70	6+ 31·50	12+ 30·80
Blue on White	TZ-243	208-4921	unit	1+	32·70	6+ 31·50	12+ 30·80
Black on Red	TZ-441	235-0161	unit	1+	32·70	6+ 31·50	12+ 30·80
White on Black	TZ-345	235-0183	unit	1+	34·70	6+ 33·30	12+ 32·60
Gold on Black	TZ-344	235-0199	unit	1+	34·70	6+ 33·30	12+ 32·60
Black on Blue	TZ-541	235-0206	unit	1+	32·70	6+ 31·50	12+ 30·80

Security TZe Tape

This tape uses a special adhesive so that when the label is peeled off it leaves a tell-tale chess-board pattern behind.

Machine suitability

PT-18R, PT-210E, PT-220, PT-300, PT-310, PT-340C, PT-350, PT-540C, PT-550, PT-1800, PT1830VP, PT2100VP, PT-2400, PT2420PC, PT-2450DX, PT-2460, PT-2480, PT-2500, PT2700VP, PT7500VP, PT7600VP, PT-3600, PT-9200, PT-9400, PT-9500PC, PT-9600

Laminated No
Tape Dimensions 18 mm
Tape Length 8 m
Print Colour Black on White
Backing Colour White

Manu. Part No.	Stock no.	Price per	OM	S$	S$	S$
TZSE4	281-6548	unit	1+	58·00	6+ 56·00	12+ 54·50

TZe Tapes, 24mm

Machine suitability

PT-350, PT-540C, PT-550, PT-2400, PT-2450DX, PT-2480, PT-2460, PT-2500, PT2700VP, PT-3600, PT7500VP, PT7600VP, PT-9200, PT-9400, PT-9500PC, PT-9600

Laminated Yes
Tape Dimensions 24 mm

Manu. Part No.	Tape Length (m)	Stock no.
TZ-251	8	194-4169
TZ-651	8	194-4175
TZ-252	8	220-9798
TZ-355	8	220-9805
TZ-451	8	361-2729
TZ-551	8	207-7103
TZ-253	8	361-2735
TZE-C51	5	361-2779
TZE-B51	5	361-2785

continued on next page

www.nguyenxuong.com

continued from previous page

Description	Stock no.	Price per	OM	S$		S$		S$
Black on White	194-4169	unit	1+	45·10	6+	43·30	12+	42·30
Black on Yellow	194-4175	unit	1+	45·10	6+	43·30	12+	42·40
Red on White	220-9798	unit	1+	33·40	6+	32·10	12+	31·40
White on Black	220-9805	unit	1+	42·90	6+	41·30	12+	40·40
Black on Red	361-2729	unit	1+	47·20	6+	45·30	12+	44·40
Black on Blue	207-7103	unit	1+	42·90	6+	41·20	12+	40·40
Blue on White	361-2735	unit	1+	42·90	6+	41·20	12+	40·40
Black on Fluorescent Yellow	361-2779	unit	1+	42·90	6+	41·20	12+	40·40
Black on Fluorescent Orange	361-2785	unit	1+	42·90	6+	41·20	12+	40·40

TC Tapes

brother at your side

Machine suitability

PT-8e; PT-500; PT-2000; PT-3000; PT-5000

Laminated Yes
Tape Length 7.7 m

Description	Stock no.	Price per	OM	S$		S$		S$
TC-291 9mm Black on white	514-723	unit	1+	34·00	6+	32·70	12+	32·00
TC-601 12mm Black on yellow	513-994	unit	1+	43·00	6+	41·30	12+	40·40

TX Tapes

brother at your side

Machine suitability

PT-PC; PT-7000; PT-8000

Tape Length 15 m
Laminated Yes

Description	Manu. Part No.	Stock no.	Price per	OM	S$		S$		S$
6mm Black on White	TX211	497-151	unit	1+	40·40	6+	38·90	12+	38·00
6mm Black on Yellow	TX611	497-167	unit	1+	40·40	6+	38·90	12+	38·00
6mm White on Black	TX315	235-0177	unit	1+	55·00	6+	52·50	12+	51·50
9mm Black on White	TX221	235-0228	unit	1+	46·80	6+	45·00	12+	44·00
9mm Black on Yellow	TX621	235-0256	unit	1+	46·80	6+	44·90	12+	43·90
12mm Black on White	TX231	497-066	unit	1+	55·00	6+	52·50	12+	51·50
12mm Black on Yellow	TX631	497-072	unit	1+	55·00	6+	52·50	12+	51·50
12mm Blue on White	TX233	495-082	unit	1+	55·00	6+	52·50	12+	51·50
18mm Black on White	TX241	494-988	unit	1+	66·00	6+	63·50	12+	62·00
18mm Black on Yellow	TX641	494-994	unit	1+	71·00	6+	68·00	12+	67·00
24mm Black on White	TX251	497-101	unit	1+	86·50	6+	83·00	12+	81·00
24mm Black on Yellow	TX651	497-117	unit	1+	86·50	6+	83·00	12+	81·00
24mm Red on White	TX252	495-032	unit	1+	62·00	6+	59·50	12+	58·50

TZ Bands (Laminated) for P-Touch Labelling Devices

brother at your side

NEW

- Coloured tape for P-touch labelling devices
- Laminated
- Length: 8 m (only 5 m for 24 mm signal colours)

Description	Stock no.	Price per	OM	S$		S$		S$
6 mm TZ tape, black/white	N 188-0885	unit	1+	24·90				
6 mm TZ tape, black/yellow	N 188-0891	unit	1+	24·90				
9 mm TZ tape, black/white	N 188-0914	unit	1+	27·80				
9 mm TZ tape, black/yellow	N 188-0964	unit	1+	27·80				
12 mm TZ tape, black/red	N 188-1024	unit	1+	30·90				
24 mm TZ tape, black/white	N 207-6627	unit	1+	42·90				
24 mm TZ tape, black/yellow	N 207-6661	unit	1+	42·90				

TZe Tapes, 36mm

brother at your side

Machine suitability

PT-550, PT-3600, PT-9200, PT-9400, PT-9500PC, PT-9600

Laminated Yes
Tape Dimensions 36 mm
Tape Length 8 m

Description	Stock no.	Price per	OM	S$		S$		S$
TZ-261 Black on white	284-8113	unit	1+	48·60	6+	46·70	12+	45·70
TZ-661 Black on yellow	284-8135	unit	1+	48·60	6+	46·70	12+	45·70
TZ-262 Red on white	284-8141	unit	1+	48·60	6+	46·70	12+	45·70
TZ-263 Blue on white	284-8157	unit	1+	48·60	6+	46·70	12+	45·70

TZ Flexible Tape

brother at your side

1234

Machine suitability

24mm: PT-350, PT-540C, PT-550, PT-2400, PT-2450DX, PT-2460, PT-2480, PT-2500, PT-3600, PT-9200, PT-9400, PT2420PC, PT-9500PC, PT-9600, PT2700VP, PT7600VP, PT7500VP

18mm: As above, plus PT-18R, PT-210E, PT-220, PT-300, PT-310, PT-340C, PT-1800, PT1830VP, PT2100VP

6 - 12mm: As above, plus PT-200, PT-1000, PT1010, PT-1200, PT1000P

Laminated Yes
Tape Length 8 m
Print Colour Black on White
Backing Colour White

Manu. Part No.	Tape Dimensions (mm)	Stock no.	Price per	OM	S$		S$		S$
TZE-FX211	6	472-2237	unit	1+	32·90	10+	31·30	15+	30·30 ➤
TZE-FX221	9	472-2243	unit	1+	29·60	10+	28·10	15+	27·30 ➤
TZE-FX231	12	472-2265	unit	1+	37·50	10+	35·60	15+	34·50 ➤
TZE-FX241	18	472-2271	unit	1+	49·30	10+	46·90	15+	45·40 ➤
TZE-FX251	24	472-2287	unit	1+	53·50	10+	51·00	15+	49·30 ➤

Die-Cut Labels for QL-500/550

brother at your side

NEW

Selection Guide

Stock no.	Label type	Size	Quantity / Tape length	Colour
485-0449	Address	29 x 90 mm	400 per roll	White
485-1240	Address	38 x 90 mm	400 per roll	White
485-0455	Address	29 x 62 mm	800 per roll	White
485-0461	Shipping	62 x 100 mm	300 per roll	White
485-0477	Folder	17 x 87 mm	300 per roll	White
485-1256	Multi-purpose	17 x 54 mm	400 per roll	White
485-0528	CD/DVD	58 x 58 mm	100 per roll	White
485-0534	Paper Tape	12 mm wide	30·5 m	White
485-6122	Paper Tape	29 mm wide	30·5 m	White
485-6138	Paper Tape	62 mm wide	30·5 m	White
485-6144	Film Tape	29 mm wide	15·2 m	White
485-6150	Film Tape	62 mm wide	15·2 m	White
485-6166	Film Tape	62 mm wide	15·2 m	Yellow
488-7980	Film Tape	62 mm wide	15·2 m	Clear

Description	Backing Colour	Tape Dimensions	Tape Length	Stock no.
Address 29x90 mm	White	29 x 90 mm	400 per roll	485-0449
Address 29x62 mm	White	29 x 62 mm	800 per roll	485-0455
Shipping	White	62 x 100 mm	300 per roll	485-0461
Folder	White	17 x 87 mm	300 per roll	485-0477
Multi-purpose	White	17 x 54 mm	400 per roll	485-1256
12mm Paper Tape	White	12 mm width	30.5 m	485-0534
29mm Paper Tape	White	29 mm width	30.5 m	485-6122
62mm Paper Tape	White	62mm width	30.5 m	485-6138
29 mm White Film	White	29 mm width	15.2 m	485-6144
62mm White Film	White	62mm width	15.2 m	485-6150
62mm Yellow Film	Yellow	62 mm width	15.2 m	485-6166
62mm Clear Film	–	62 mm width	15.2 m	488-7980

Description	Stock no.	Price per	OM	S$		S$		S$
Address 29x90 mm	485-0449	box of 400	1+	26·00	6+	25·00	12+	24·40
Address 29x62 mm	N 485-0455	box of 800	1+	36·00	6+	34·60	12+	33·80
Shipping	N 485-0461	box of 300	1+	50·50	6+	48·50	12+	47·50
Folder	N 485-0477	box of 300	1+	23·00	6+	22·10	12+	21·60
Multi-purpose	485-1256	box of 400	1+	15·40	6+	14·80	12+	14·50

continued on next page

www.nguyenxuong.com

continued from previous page

Description	Stock no.	Price per	OM	S$		S$		S$
12mm Paper Tape	485-0534	unit	1+	23·30	6+	22·40	12+	21·90
29mm Paper Tape	485-6122	unit	1+	22·10	6+	21·20	12+	20·80
62mm Paper Tape	485-6138	unit	1+	41·00	6+	39·40	12+	38·60
29 mm White Film	485-6144	unit	1+	45·50	6+	43·70	12+	42·80
62mm White Film	485-6150	unit	1+	110·00	6+	105·50	12+	103·50
62mm Yellow Film	485-6166	unit	1+	125·50	6+	120·50	12+	118·00
62mm Clear Film	N 488-7980	unit	1+	154·00	6+	148·00	12+	145·00

Casio Machines Tapes

Casio Machine Tapes

CASIO

1234 1234 1234 1234

- Machine Suitablity:- KL series printers 60/70/100/750/2000/7000/7200/8100/8200

Laminated	Yes
Tape Length	8 m

Description	Stock no.	Price per	OM	S$		S$		S$
6 mm Black on White	223-5472	unit	1+	17·90	6+	17·10	12+	16·80
6 mm Black on Clear	223-5488	unit	1+	17·90	6+	17·20	12+	16·80
6 mm Black on Yellow	223-5501	unit	1+	17·90	6+	17·20	12+	16·80
9 mm Black on White	494-809	unit	1+	25·00	6+	24·00	12+	23·50
9 mm Black on Yellow	494-815	unit	1+	22·40	6+	21·50	12+	21·00
9 mm Black on Clear	495-464	unit	1+	21·30	6+	20·40	12+	20·00
12 mm Black on White	223-5387	unit	1+	25·10	6+	24·10	12+	23·60
12 mm Black on Clear	223-5393	unit	1+	25·10	6+	24·10	12+	23·60
12 mm Black on Red	223-5416	unit	1+	25·10	6+	24·10	12+	23·60
12 mm Black on Yellow	223-5422	unit	1+	25·10	6+	24·10	12+	23·60
12 mm Black on Blue	223-5438	unit	1+	25·10	6+	24·10	12+	23·60
12 mm Red on White	223-5450	unit	1+	25·10	6+	24·10	12+	23·60
18 mm Black on White	494-859	unit	1+	30·90	6+	29·60	12+	29·00
18 mm Black on Yellow	494-865	unit	1+	30·90	6+	29·60	12+	29·00

Labels

Magnetic

Magnetic Label Strips

edding

- Magnetic label strips may be cut to any size
- Magnetic strength is 32g/cm^2
- Can be marked with stock no. 231-4610 board markers (dry-wiped off)

Manu. Part No.	Size (mm)	Stock no.
MEB 20	3mx20x0.6	617-2921
MEB 40	3mx40x0.6	617-2959
MEB 50	3mx50x0.6	617-2965

Manu. Part No.	Stock no.	Price per	OM	S$		S$		S$
MEB 20	617-2921	reel of 3	1+	42·90	6+	41·30	12+	40·40
MEB 40	617-2959	reel of 3	1+	74·50	6+	71·50	12+	70·00
MEB 50	617-2965	reel of 3 m	1+	91·50	6+	87·50	12+	86·00

Alpha Numeric

Coloured Die Cut Labels

Camberley Business Systems

- Self-adhesive letters, numbers and symbols

Letters

Letter	A	B	C	D	E	F	G	H	I	J	K	L	M
Qty	3	2	2	2	5	2	2	2	4	1	1	2	2
Letter	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
Qty	2	3	2	1	2	2	2	1	1	1	1	1	1

Numbers & Symbols

Character	1	2	3	4	5	6	7	8	9	0	€	Ø
Qty	6	3	3	3	4	3	3	3	3	7	1	1
Character	£	()	&	?	!	-	"	.	,	$	ß	-
Qty	2	1	2	1	2	1	1	1	1	1	1	2

Type	Size (mm)	Stock no.
Letters	50	514-818
Letters	75	514-824
Numbers & Symbols	30	514-830
Numbers & Symbols	50	514-846
Numbers & Symbols	75	514-852

Type	Stock no.	Price per	OM	S$		S$		S$
Letters	514-818	1 kit	1+	18·90	6+	18·10	12+	17·80
Letters	514-824	1 kit	1+	22·40	6+	21·60	12+	21·10
Numbers & Symbols	514-830	1 kit	1+	15·00	6+	14·40	12+	14·10
Numbers & Symbols	514-846	1 kit	1+	18·90	6+	18·10	12+	17·80
Numbers & Symbols	514-852	1 kit	1+	26·40	6+	25·40	12+	24·80

Symbol Strip Vinyl Labels

- Black on white and black on yellow
- Self-adhesive vinyl cloth labels
- Cards contain pre-cut, peel off characters
- 6 characters per strip



Type	Colour	Size (mm)	Stock no.	Price per	OM	S$		S$		S$
Numeric	Black / White	4	445-3868	unit	10+	4·86	60+	4·68	120+	4·55
Alphabetic	Black / White	4	445-3874	unit	10+	3·85	60+	3·71	120+	3·60
Numeric	Black; Yellow	9.5	445-3880	unit	10+	2·98	60+	2·86	120+	2·80
Numeric	Black; Yellow	15.9	445-3903	unit	10+	3·26	60+	3·13	120+	3·07
Alphabetic	Black; Yellow	9.5	445-3896	unit	10+	2·77	60+	2·66	120+	2·61
Alphabetic	Black; Yellow	15.9	445-3919	unit	10+	2·77	60+	2·66	120+	2·61

Avery Labels

Heavy Duty Identification Labels

AVERY

- Durable permanent adhesive polyester labels for outdoor, industrial and warehouse use
- Waterproof, weatherproof and resistant to oil, detergent and grease
- Markproof and UV resistant
- Sticks to painted and unpainted metal, glass, plastics and PCs
- Can be used in freezers, temperature range: -20°C to +80°C

Colour	White

Manu. Part No.	Size (mm)	Labels Per Sheet	Stock no.
L7060-20	63.5x38.1	21	484-7005
L4775-20	210x297	1	484-7027

Manu. Part No.	Stock no.	Price per	OM	S$		S$		S$
L7060-20	484-7005	box of 420	1+	53·50	6+	51·50	12+	50·50
L4775-20	484-7027	box of 20	1+	63·00	6+	60·50	12+	59·00

CE Labels

Self-Adhesive Vinyl CE Labels

- Demonstrate conformity with EC directives

Size (mm)	Stock no.	Price per	OM	S$		S$		S$
6.35x6.35	445-4114	bag of 500	1+	18·60	6+	17·70	12+	17·40
12.7x12.7	445-4120	bag of 500	1+	19·20	6+	18·30	12+	17·80
19.05x19.05	445-4136	bag of 500	1+	31·20	6+	29·70	12+	29·10

RoHS & WEEE Labels

Chinese RoHS Labels

Brady

These labels are designed to help the producers of electric and electronic equipment to comply with the Chinese regulation with regard to the ban of the sale of electrical and electronic products containing specific toxic contaminants. Logo 1, has an 'e' inside a circle, comprising of two curved arrows facing opposite directions and is recommended to be green in colour. This is applicable to products not containing toxic substances; EU RoHS compliant products would carry this label,Logo 2, has a number that depicts the EPUP (Environmental Protection Use Period) of the product and is recommended to be orange in colour. This applies when the product contains toxic substances. For products bearing Logo 2, the producer would have to disclose details of the toxic substances, including whether the level of toxicity exceeds the level stipulated in the Standard on Requirements for Concentration Limits for Certain Hazardous Substances in Electronic Information Products (SJ/T 11363-2006) (the "Concentration Limits Standard"). This would need to be labelled on the product or if unfeasible, in the manual accompanying the product.

- Available in white polyester B-423 and clear polyester B-430
- Very high resistance to chemicals, ultra-violet rays and extreme weather conditions
- Available in different sizes

Properties	High Chemical Resistance; Strong Adhesive

Description	Size (mm)	Legend	Stock no.
e White Dia. 10mm	Dia. 10	e	362-254
e Clear Dia. 10mm	Dia. 10	e	362-250
e White Dia. 20mm	Dia. 20	e	362-222
e Clear Dia. 20mm	Dia. 20	e	362-226
e Clear Dia. 30mm	Dia. 30	e	362-119
10yr White Dia. 10mm	Dia. 10	10yr	362-244
10yr Clear Dia. 30mm	Dia. 30	10yr	362-103
25yr White Dia. 10mm	Dia. 10	25yr	362-238
25yr Clear Dia. 15mm	Dia. 15	25yr	362-216
25yr White Dia. 20mm	Dia. 20	25yr	362-200
50yr Clear Dia. 20mm	Dia. 20	50yr	362-193

Description	Stock no.	Price per	OM	S$	S$	S$
e White Dia. 10mm	362-254	box of 1000	1+	67·50		
e Clear Dia. 10mm	362-250	box of 1000	1+	77·00		
e White Dia. 20mm	362-222	box of 1000	1+	98·00		
e Clear Dia. 20mm	362-226	box of 1000	1+	114·00		
e Clear Dia. 30mm	362-119	box of 1000	1+	135·00		
10yr White Dia. 10mm	362-244	box of 1000	1+	67·50		
10yr Clear Dia. 30mm	362-103	box of 1000	1+	135·00		
25yr White Dia. 10mm	362-238	box of 1000	1+	67·50		
25yr Clear Dia. 15mm	362-216	box of 1000	1+	94·00		
25yr White Dia. 20mm	362-200	box of 1000	1+	98·00		
50yr Clear Dia. 20mm	362-193	box of 1000	1+	114·00		

Many more leading brands from over 2,500 suppliers available online

www.nguyenxuong.com

RoHS Labels

W H Brady

- Restriction of Use of certain Hazardous Substances (RoHS) is an EU Directive that will restrict the use of 6 hazardous materials in the manufacture of electronic and electrical equipment
- The legislation came into effect on 01/07/06
- These labels will provide a durable and clear indication of compliance

Description	Size	Stock no.	Price per	OM	S$		S$		S$
Lead Free	30x10 mm	539-5965	box of 500	1+	144·00	6+	141·00	12+	138·50
Directive 2002	30x10 mm	539-5971	box of 500	1+	144·00	6+	141·00	12+	138·50
Pb Symbol	15 mm dia	539-5987	box of 500	1+	136·00	6+	133·50	12+	130·50

Labels for 80/132 Column Printer

These labels are intended for EPROMS or similar components and provide both identification and protection from incident light.Supplied as folded sheets with punched edges enabling printing by word processing systems or printers.

Labels for 80-Column Printer

Colours available: white and yellow (202mm carrier width) and with foil base (218mm carrier width).

Description	Stock no.	Price per	OM	S$		S$		S$
32 x 10mm, White	484-8812	box of 500	1+	45·40				
32 x 10mm, Yellow	264-103	box of 500	1+	55·50				
25 x 13mm, Foil Base	264-125	box of 500	1+	79·00				

Tamperproof

Fracturing

- Self-adhesive vinyl film with printed legend
- Fracture easily to prevent one piece removal

Legend	Size	Stock no.
CALIBRATION VOID IF SEAL BROKEN	38x12.7 mm	445-3773
GUARANTEE VOID IF SEAL BROKEN	38x12.7 mm	445-3767
CALIBRATION VOID IF BROKEN	19 mm dia	445-3789
GUARANTEE VOID IF BROKEN	19 mm dia	450-6372
QA SEAL	16 mm dia	445-4142
QA SEAL	39x19 mm	445-4158

Legend	Stock no.	Price per	OM	S$		S$		S$
CALIBRATION VOID IF SEAL BROKEN	445-3773	bag of 180	1+	23·90	6+	22·70	12+	22·30 ➤
GUARANTEE VOID IF SEAL BROKEN	445-3767	bag of 180	1+	23·90	6+	22·70	12+	22·30 ➤
CALIBRATION VOID IF BROKEN	445-3789	bag of 90	1+	23·90	6+	22·70	12+	22·30 ➤
GUARANTEE VOID IF BROKEN	450-6372	bag of 90	1+	23·90	6+	22·70	12+	22·30 ➤
QA SEAL	445-4142	bag of 200	1+	27·40	6+	26·00	12+	25·50 ➤
QA SEAL	445-4158	bag of 110	1+	39·10	6+	37·20	12+	36·40 ➤

Write-on Self-Adhesive

- Self-adhesive vinyl cloth labels
- Pre-titled legends with write-on space
- Use spirit based or ball-point pens, pencils or typewriter
- Radius corners

Legend	Stock no.	Price per	OM	S$		S$		S$
TESTED	450-6394	bag of 170	1+	41·10	6+	39·10	12+	38·20

Visible and Partially Laminated

- Partially laminated write-on label
- Text can be written or typed on label
- Leaves checkerboard pattern when removed
- Excellent resistance to mild acids, alkalis, most common petroleum based oils, greases and aliphatic solvents
- Temperature range -20°C to +70°C



Legend CALIBRATED
Size 40x15 mm

Stock no.	Price per	OM	S$		S$		S$
496-401	bag of 120	1+	28·40	6+	27·30	12+	26·80 ➤

Visible Calibration Void

- Checkerboard pattern left behind when removed
- Ideal for visible evidence of tampering

Legend CALIBRATION VOID IF LABEL REMOVED
Size 40x15 mm

Stock no.	Price per	OM	S$		S$		S$
316-4775	bag of 140	1+	25·20	6+	24·20	12+	23·70 ➤

Earth Warning & Antistatic Labels

Earth Warning Labels

- Thin, conformable, self-adhesive label
- Black symbol on square dark green background
- To identify earth points and surfaces
- Complies with BS6217, 417-I.E.C-5019

Standards: BS5783



Black symbol on dark green background

Description	Stock no.	Price per	OM	S$		S$		S$
Earth Warning 12.5x12.5mm	494-1860	lot of 100	1+	10·60				
Earth Warning 25x25mm	494-1876	lot of 100	1+	19·40				

Equipment Tags

Partially Laminated

- Attach write-on tags to equipment using cable ties
- Clear laminate seals down to protect tag
- Suited to harsh environments
- Temperature range: -20°C to +70°C

Size 60x70 mm



Description	Stock no.	Price per	OM	S$		S$		S$
Serial No.	445-3947	bag of 50	1+	63·50	5+	60·50	10+	59·00 ➤
Tested	445-3975	bag of 50	1+	44·50	5+	42·30	10+	41·40 ➤

Key Tag

Esselte

- White key tag
- Size 20x63mm - accepts 9mm tape
- Accepts a card or paper insert

Supplied with: *metal key ring.*

Size (mm)	Stock no.	Price per	OM	S$		S$		S$
20x63	495-284	box of 25	1+	44·60	6+	42·80	12+	41·90

Write - On Labels

Vinyl Cloth Self-Adhesive

- Pre-titled legends and space for own text
- Use ball-point pen, typewriter or spirit based inks
- Self-adhesive vinyl cloth labels
- Each label 38 x 15mm
- Except "serial No.", 38 x 12mm

Description	Colour	Stock no.	Price per	OM	S$		S$		S$
Tested	Green	445-3846	bag of 140	1+	21·10	6+	20·10	12+	19·60 ➤
Calibrated	Black	445-3824	bag of 140	1+	14·00	6+	13·30	12+	13·00 ➤
Serial No.	Black	445-3818	bag of 180	1+	13·00	6+	12·40	12+	12·10 ➤
Rejected	Red	445-4271	bag of 140	1+	14·80	6+	14·10	12+	13·80 ➤
Do Not Use	Red	445-3830	bag of 140	1+	11·90	6+	11·30	12+	11·10 ➤
Blank Write-On	White	445-3852	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
Inspected By	Black	445-3701	bag of 140	1+	14·80	6+	14·10	12+	13·80 ➤
Date Installed	Green	445-3458	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
Safety Check	Green	445-3486	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
QA Approved	Green	445-3492	bag of 140	1+	18·60	6+	17·70	12+	17·30 ➤
QA Inspected	Green	445-3515	bag of 140	1+	21·10	6+	20·10	12+	19·60 ➤
QA Accepted	Green	445-3537	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
Checked	Green	445-3543	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
Cleaned	Green	445-3587	bag of 140	1+	13·00	6+	12·40	12+	12·10 ➤
Accepted	Green	445-3795	bag of 140	1+	11·10	6+	10·60	12+	10·30 ➤

continued on next page

www.nguyenxuong.com

continued from previous page

Description	Colour	Stock no.	Price per	OM	S$		S$		S$
Serviced By	Orange	445-3739	bag of 140	1+	13·00	6+	12·40	12+	12·10
Tested For	Green	445-3723	bag of 140	1+	14·80	6+	14·10	12+	13·80
Equip. Not To Be	White	445-3751	bag of 140	1+	14·80	6+	14·00	12+	13·80

Tested for Electrical Safety Write-On

- Self-adhesive write-on labels
- Legend includes leakage current information
- Use spirit based or ballpoint pens, pencil or typewriter

Colour Green / White
Size 38x15 mm



Stock no.	Price per	OM	S$		S$		S$
450-5969	bag of 140	1+	22·20	6+	21·10	12+	20·70

Colour Coded Monthly Write-On

- Easy to see at a glance which labels need renewing
- Tested legend
- Write-on space
- Use ball-point pen, typewriter or spirit based inks
- Self-adhesive
- Each label 38 x 16 mm

Colour	Stock no.	Price per	OM	S$		S$		S$
Dark Blue	450-5975	bag of 140	1+	19·60	6+	18·60	12+	18·30
Yellow	450-5997	bag of 140	1+	13·70	6+	13·00	12+	12·80
Dark Green	450-6007	bag of 140	1+	15·50	6+	14·80	12+	14·50
Light Green	450-6057	bag of 140	1+	13·70	6+	13·00	12+	12·80

Two-colour Vinyl Cloth

- Self-adhesive vinyl cloth labels
- Pre-titled legends and space for own text
- Use ball-point pen, typewriter or spirit based inks
- Supplied on cards

Material Vinyl Cloth Colour Blue; Green / White
Size 38x38 mm

Description	Stock no.	Price per	OM	S$		S$		S$
Equipment No. Tested by, Date	340-5486	bag of 50	1+	24·00	6+	23·00	12+	22·60

Write-on Self-Adhesive

- Self-adhesive vinyl cloth labels
- Pre-titled legends with write-on space
- Use spirit based or ball-point pens, pencils or typewriter
- Radius corners
- Each label 38 x 15 mm

Description	Stock no.	Price per	OM	S$		S$		S$
Rejected	450-6142	bag of 140	1+	19·20	6+	18·40	12+	18·10
Serial No.	450-6186	bag of 140	1+	13·40	5+	12·90	10+	12·70
Tested For Electrical Safety	450-6164	bag of 140	1+	21·70	6+	20·60	12+	20·20
Serviced	450-6170	bag of 140	1+	13·40	6+	12·80	12+	12·50

Partially Laminated Self-Adhesive

- Excellent resistance to mild acids and alkalis and most common petroleum based oils, greases and aliphatic solvents
- Self-adhesive with clear vinyl overlay
- Pre-printed legends with write-on space
- Temperature range: -20°C to +70°C

Size 40x15 mm



Description	Colour	Stock no.	Price per	OM	S$		S$		S$
Next Test Due	Green	496-338	bag of 120	1+	20·60	6+	19·80	12+	19·40
Tested For Electrical Safety	Green	496-344	bag of 120	1+	20·60	6+	19·80	12+	19·40
Tested	Green	496-350	bag of 120	1+	20·60	6+	19·80	12+	19·40
Serial No.	Black	496-366	bag of 120	1+	20·60	6+	19·80	12+	19·40
For Indication Only	Red	496-372	bag of 140	1+	20·30	6+	19·50	12+	19·10
Calibration Not Required	Black	496-388	bag of 140	1+	23·90	6+	22·90	12+	22·50
Calibrated	Green	226-2632	bag of 120	1+	23·90	6+	22·90	12+	22·50
Blank	Black	226-1409	bag of 120	1+	22·20	6+	21·30	12+	20·90
Inspected By	Blue	226-1415	bag of 120	1+	20·30	6+	19·50	12+	19·10
Serviced By	Blue	226-1421	bag of 120	1+	17·90	6+	17·10	12+	16·80

Write-On Metallised

- Soft aluminium foil label
- Acrylic pressure sensitive adhesive
- Suitable for harsh environments

Size 38x15 mm

Description	Colour	Stock no.	Price per	OM	S$		S$		S$
Tested	Green	445-3593	bag of 140	1+	18·00	6+	17·10	12+	16·80
Calibrated	Black	445-3600	bag of 140	1+	25·70	6+	24·50	12+	23·90
Serial No.	Black	445-3616	bag of 180	1+	25·70	6+	24·50	12+	24·00
Rejected	Red	445-3622	bag of 140	1+	15·90	6+	15·10	12+	14·80
Do Not Use	Red	445-3644	bag of 140	1+	15·90	6+	15·10	12+	14·80
Inspected By	Black	445-3650	bag of 140	1+	25·70	6+	24·50	12+	23·90
Serviced By	Orange	445-3638	bag of 140	1+	22·70	6+	21·60	12+	21·10
Equipment Not to be Used	Red	445-3666	bag of 140	1+	15·90	6+	15·10	12+	14·80

Equipment Labels

- Aluminium foil with a black and silver finish
- Self-adhesive
- Image retained when ink has rubbed off
- Temperature range -40 to +155°C

Description	Size (mm)	Stock no.	Price per	OM	S$		S$		S$
Model/Serial No.	51x26	606-210	bag of 100	1+	42·90	6+	40·40	12+	38·60
Modification	23x16	606-226	bag of 100	1+	38·40	6+	35·70	12+	34·20

Calculators and Organisers

Scientific Calculators

FX-83GTPLUS-S-UH

- Battery powered (1 x AAA battery)
- 260 Functions
- Prime Factorization
- Recurring Decimals
- Verify Expressions
- 9 Variable memories
- Trigonometric/inverse Hyperbolic functions
- Exponential/Logarithmic
- Power functions
- Fraction Calculations
- Table functions and many more

Stock no.	Price per	OM	S$		S$		S$
702-3710	unit	1+	21·40				

Clocks

Wall Clocks

White Plastic Wall Clock

- Plastic case and lens
- 250mm diameter
- Quartz movement

Note: battery not supplied (requires 1 x AA)

Stock no.	Price per	OM	S$		S$		S$
517-5301	unit	1+	10·40				

Aluminium Wall Clock

Movement Quartz Batteries 1 x AA
Second Hand Yes Colour-Finish White
Lens Plastic

Description	Dia. (mm)	Stock no.	Price per	OM	S$		S$		S$
Wall Clock, Large	436	366-2320	unit	1+	114·00	6+	105·00	12+	102·50
Wall Clock, Small	260	366-3121	unit	1+	71·00	6+	66·00	12+	64·50
Wall Clock, Medium	306	366-3137	unit	1+	77·00	6+	71·50	12+	70·00

Silent Sweep Wall Clock

- Quartz movement with silent, continuously moving second hand - suitable for quiet working environments

Movement Quartz Lens Shatterproof
Dia. 300 mm Colour-Finish White
Second Hand Yes Batteries 1 x AA

Stock no.	Price per	OM	S$
440-9568	unit	1+	45·50

www.nguyenxuong.com

Wall Clock with Thermometer/Hygrometer

- Features an analogue thermometer (°C) and hygrometer (% rel.) for measuring humidity

Movement	Quartz	Lens	Glass
Dia.	245 mm	Colour-Finish	Silver
Second Hand	Yes	Batteries	1 x AA

Stock no.	Price per	OM	S$		S$		S$
363-1332	unit	1+	45·00	6+	41·40	12+	40·50

IP55 Rated Wall Clock

Acctim

- IP55 rated wall clock for wet and dusty environments. Suitable for food preparation, hose down areas etc

Note: battery not supplied

Movement	Quartz	Lens	Glass
Dia.	305 mm	Colour-Finish	White
Second Hand	Yes	Batteries	1 x AA

Stock no.	Price per	OM	S$		S$		S$
342-3462	unit	1+	72·50	6+	67·00	12+	65·50

Stop Watches

Stop Watches

Analogue

- 16 jewelled lever movement for accuracy and long working life
- 60 second primary dial in 1/5th of a second increments with a 60 minute secondary dial
- Start/stop winding button and side hand reset
- Metal (chrome finish) case material
- Height; 68mm, width; 52mm

Stock no.	Price per	OM	S$		S$		S$
329-727	unit	1+	109·00	6+	101·50	12+	99·50

Shockproof - Standard

E. A. COMBS Limited
CLOCK MANUFACTURERS & IMPORTERS

- Shock resistant
- LCD display
- Split lap and time functions

Height	80 mm	Clock Display	24 hour
Width	57 mm	Resolution	1/100 s
Battery Type	SR44	Time Range	0 to 24hrs

Stock no.	Price per	OM	S$		S$		S$
278-682	unit	1+	20·40	15+	19·20	25+	18·80 ➤

Water Resistant - Standard

E. A. COMBS Limited
CLOCK MANUFACTURERS & IMPORTERS

- Lap timer, clock, alarm, and calendar functions
- Quartz movement
- LCD Display
- Plastic case material
- Water resistant

Width	55 mm	Clock Display	12/24 hour
Battery Type	LR44	Resolution	1/100 s

Stock no.	Price per	OM	S$		S$		S$
278-698	unit	1+	29·70	15+	27·90	25+	27·30 ➤

Water Resistant

E. A. COMBS Limited
CLOCK MANUFACTURERS & IMPORTERS

- Lap facility, time, and calendar functions
- 12mm bold digit height
- Silver case material
- Water resistant

Height	73 mm	Clock Display	12/24 hour
Width	63 mm	Resolution	1/100 s
Battery Type	392; LR41		

Stock no.	Price per	OM	S$		S$		S$
440-9574	unit	1+	59·50				

Multifunction Water Resistant

E. A. COMBS Limited
CLOCK MANUFACTURERS & IMPORTERS

- 16 lap memory, and lap difference calculation
- Pace maker
- Lap and cumulative facility
- 2 line LCD Display
- Water resistant
- Count down timer function

Height	80 mm	Calender	Yes
Width	60 mm	Clock Display	12/24 hour
Alarm	Yes	Resolution	1/100 s (Up); 1/10 s (Down)
Battery Type	CR2032	Time Range	0 to 9hr, 59min, 59sec

Stock no.	Price per	OM	S$		S$		S$
381-1140	unit	1+	64·50	6+	60·00	12+	58·50

Accessories

Description	Stock no.	Price per	OM	S$		S$		S$
Stopwatch Belt Clip	308-0762	unit	1+	10·20	6+	9·40	12+	9·05

Water Resistant, 500 Lap - Professional

E. A. COMBS Limited
CLOCK MANUFACTURERS & IMPORTERS

- Count down timer has three modes: count down repeat, count down stop, count down then count up
- Pacer and stroke measurement
- 500 lap memory
- 3 line display
- Low battery check
- Selectable beep sound
- Water resistant

Height (mm)	Width (mm)	Alarm	Battery Type	Calender	Resolution (s)	Time Range	Stock no.
80	60	Yes	CR2032	Yes	1/100	19hr, 59min, 59.99sec	440-9580

Stock no.	Price per	OM	S$		S$		S$
440-9580	unit	1+	94·00				

Accessories

Description	Stock no.	Price per	OM	S$		S$		S$
Stopwatch Belt Clip	308-0762	unit	1+	10·20	6+	9·40	12+	9·05

Count Up/Down Timers

Count Up or Down Timers

Countdown – 18mm Display

- 4 digit
- Thirty second alarm when count down reaches zero
- Time set recall restores original value after count down is complete
- LCD display
- Accuracy ±0-5 s
- Belt clip, stand and built-in magnetic attachment are included

Depth	23 mm	Time Range	99min 59s Count Down
Height	66 mm	Character Height	18 mm
Width	77 mm	Battery Type	SR44
Resolution	1 s		

Stock no.	Price per	OM	S$		S$		S$
328-005	unit	1+	32·20	6+	29·60	12+	28·70

Countdown – 2 Channel

- 4 digit
- Both channels can be independently set and simultaneously used in either count up or count down mode
- One minute alarm when count down reaches zero (different beep for each timer)
- LCD display
- Accuracy ±0-5 s
- Time set recall restores original value after count down is complete
- Belt clip, stand and built-in magnetic attachment are included

Depth	23 mm	Time Range	0 to 99h 59min 59s Count Up , 99h 59min 59s to 0 Count Down
Height	66 mm	Character Height	18 mm
Width	77 mm	Battery Type	SR44
Resolution	1 s		

Stock no.	Price per	OM	S$		S$		S$
328-011	unit	1+	57·00	6+	52·50	12+	50·50

Count Up & Down Timer / Clock

- Alarm on reaching zero. Timer then starts to time up, displaying 'overtime'
- Memory facility stores original time set
- LCD display
- Fold away stand and built in magnet

Height	70 mm	Resolution	1 s
Width	68 mm	Time Range	0 to 23h 59min 59s Count Up , 23h 59min 59s to 0 Count Down

continued on next page

www.nguyenxuong.com

continued from previous page

Clock Display	24 hour	Battery Type	SR44
Character Height	9 mm		

Stock no.	Price per	OM	S$		S$		S$
427-590	unit	1+	46·60	6+	42·90	12+	41·50

Count Up or Down Timer / Clock

- Alarm on reaching zero. Timer then starts to time up, displaying 'overtime'
- Time can be displayed (hr, min, s)
- Memory stores original time set for repeated use
- LCD display
- Fold away stand and built in magnet

Depth	14 mm	Time Range	0 to 23h 59min 59s Count Up , 23h 59min 59s to 0 Count Down
Height	60 mm	Clock Display	24 hour
Width	64 mm	Character Height	9 mm
Resolution	1 s	Battery Type	SR44

Stock no.	Price per	OM	S$		S$		S$
343-420	unit	1+	53·50	6+	49·20	12+	47·60

Desk Digital Timers, LCD

Stopwatch/Clock

- Counts up after reaching zero to show 'overtime'
- Memory stores original time set for repeated use

Note: Battery not included.

Clock Display	24 hour	Count Down	Yes
Alarm	No	Battery Type	AA
Character Height	10 mm	Height	40 mm
Time Range	23h 59min 59s to 0 Count Down	Width	88 mm
Count Up	Yes	Depth	88 mm

Stock no.	Price per	OM	S$		S$		S$
427-607	unit	1+	41·40	6+	38·10	12+	36·90

Stopwatch External Switching Sockets

- Three sockets for external switching - start, stop and reset
- Dual mode: lap and split
- Restart without reset, timing pause function

Resolution	0.01 s	Count Down	No
Alarm	No	Battery Type	AA
Character Height	13 mm	Height	46 mm
Time Range	10h	Width	120 mm
Count Up	Yes	Depth	100 mm

Stock no.	Price per	OM	S$		S$		S$
235-5059	unit	1+	74·50	6+	69·50	12+	68·00

Engineering & Technology Books

Telecommunications

Practical Telecommunications and Wireless Communications

Author:Wright & Reynders
Cover:Paperback
Date:2004
Edition:1st
Publisher:Newnes
c. 304 pages



This book provides a grounding in the fundamentals of modern telecommunications systems in use in industrial, engineering and business settings. From networking for control systems to the use of Wireless LANs for enhanced on-site communications systems. This is a cutting-edge book on the fundamentals of telecommunications for anyone looking for a complete understanding of the essentials of the terms, jargon and technologies used. It has been designed for those who require a basic grounding in telecommunications for industrial, engineering and business applications.

Stock no.	Price per	OM	S$		S$		S$
492-9882	unit	1+	89·00				

RS Branded products.
Wide range, great value.

www.rssingapore.com

17th Edition Wiring Regulations

BS 7671:2008 Requirements for Electrical Installations (17th Edition IEE Wiring)

IET

Editor: The Institution for Engineering and Technology (The IET)
Date: 2008
Edition: 17th
Topic: IEE Wiring Regulations
User Level: Wiring Technicians and university level students

The IEE Wiring Regulations are the national standards for domestic and industrial buildings in the UK. These standards are of interest to all engineers, architects, surveyors and Local Authorities concerned with the design, installation and maintenance of electrical wiring in buildings.

Key changes include:

A change allowing a socket outlet in bathrooms (if 3ms from the edge of a bath or shower and rcd protected).

Extension of the Regulations to cover new 'special locations': exhibition shows, photovoltaic (pv) power supply systems, floor and heating systems, marinas and fairgrounds and amusement parks.

The chapters have also been re-numbered and re-structured to align with international standards. Of interest to electricians, electrical contractors, consultants, Local Authorities, surveyors and architects. Also professional engineers and university level students.

Cover	Stock no.	Price per	OM	S$	S$	S$
Hard Back	657-1514	unit	1+	200·00		

Electrical Installation Design Guide Calculations for Electricians and Designers

IET



Author:Paul Cook CEng FIEE
Cover:Paperback
Date:2008
Edition:17th
Publisher:IEE
ISBN 978-0-86341-550-0
Topic:Calculations for Electricians and Designers
User Level:Apprentices and trainees Technicians

This book provides step-by-step guidance on the design of electrical installations, from domestic installation final circuit design to fault level calculations for LV/large LV systems.,Apprentices and trainees will find it very helpful in carrying out the calculations necessary for a basic installation. It has also been prepared to provide a design sequence, calculations and data for a complete design to be carried out. It is intended to include all necessary cable and equipment data to carry out the calculations. Consultants will be able to check the calculations of their design packages.,It includes calculations and necessary reference data not found in the design packages, such as cable conductor and sheath temperatures and allowances for harmonics

- Provides step-by-step guidance on the design of electrical installations
- Includes calculations and reference data not normally found in design packages, such as cable conductor and sheath temperatures and allowances for harmonics

Stock no.	Price per	OM	S$	S$	S$
539-400	unit	1+	53·50		

ON SITE GUIDE (IEE WIRING REGULATIONS) BS 7671 :2008 17th EDITION

IET

Cover:Paperback (Spiral bound)
Edition:17th
Date:2008
Publisher:IEE
ISBN-13: 978-0863418549
Topic:IEE On-Site Guide :2008 17th Edition Wiring Regulations
User Level:Wiring Technicians
c. 183pages

The revised version of the IEE On-Site Guide reflects updates included in the latest edition of the IEE Wiring Regulations (17th Edition) 2008.,The On-Site Guide (now with a red cover) is intended to enable the competent electrician deal with small installations (up to 100 A, 3-phase). It provides essential information in a convenient, easy to use form, avoiding the need for detailed calculations.

- A simple guide to the requirements of BS 7671
- Easy to read text
- Illustrations in full colour
- Includes simple circuit calculations
- Essential for all electricians and electrical contractors

Stock no.	Price per	OM	S$	S$	S$
512-411	unit	1+	59·00		

17th Edition IEE Wiring Regulations: Inspecting, Testing & Certification

Elsevier Science

Author:Brian Scaddan
Cover:Paperback
ISBN:9780750687195
Date:2008
Edition:6th
Publisher:Newnes
c.104pages

This book is a practical guide to the inspection and testing requirements in electrical installation and is written specifically for the City & Guilds Certificate in Inspection, Testing and Certification of Electrical Installations (2392-20). It is an essential reference for all electrical contractors, technicians, trainees and other professionals who are involved in inspection and testing of electrical installations, and need to ensure their work complies with the latest version of the Wiring Regulations. The new edition is updated throughout in line with the 17th Edition Wiring Regulations and relates the requirements to actual working practice. In addition, the page design has been improved and colour has been added to make the book easier to navigate. Brian Scaddan is an honorary member of City & Guilds and has over 30 years' experience in Further Education.

Stock no.	Price per	OM	S$	S$	S$
435-617	unit	1+	28·60		

www.nguyenxuong.com

Domestic Electrical Installation Guide 17th Edition

NICEIC Group

Author:NICEIC
Cover:Paperback (Spiral bound)
ISBN-13: 978-0954879112
Date:2008
Edition:17th
Publisher:NICEIC
c.314 pages



The Domestic Electrical Installation Guide has been designed to provide guidance to electrical contractors carrying out installation work in houses and flats. This newly revised handy A5 book provides guidance for the design, construction, inspection and testing, and certification in domestic dwellings. It promotes good practice and provides an understanding of fundamental concepts for protection and safety. Fully updated to include 17th Edition requirements.

Author	NICEIC	Topic	Guidance for design, construction, inspection and testing
Edition	17th	Date	2008
Publisher	NICEIC	Cover	Paperback (Spiral bound)

Stock no.	Price per	OM	S$	S$	S$
531-270	unit	1+	50·50		

Environmental Engineering

Process Plant Construction

Author:Patrick Noble
Cover:Hardback
Date:Jan. 2009
Edition: 1st
ISBN13: 978-1-4051-8725-1
Publisher: Wiley-Blackwell
Topic: Management of quality on a process plant construction site
User Level: Primary: Engineers, project,construction managers,senior technicians.
Secondary:Head office top managers, postgraduate course leaders in construction management



A handbook with a straightforward, commonsense model of quality management that can be readily adapted to the needs of any process plant project. Provides a useful companion and guide to engineers on site, being a user friendly tool-kit to create and operate effective construction quality management systems

- Combines project construction management and quality management
- Offers practical solutions to site construction engineers
- Website with forms available to go with model procedures

Stock no.	Price per	OM	S$	S$	S$
667-2068	unit	1+	195·50		

Mechanical Engineering

Mechanical Engineer's Pocket Book

Elsevier Science

Author:Timings
Cover:Paperback
Date:2005
Edition:3rd
ISBN-13: 978-0750665087
Publisher:Newnes
Topic:Mechanical Engineer's Handbook
User Level:Mechanical Engineers and Students
c. 768 pages

The Newnes Mechanical Engineer's Pocket Book is a comprehensive collection of data for mechanical engineers and students of mechanical engineering. Bringing together the data and information that is required to-hand when designing, making or repairing mechanical devices and systems, it has been revised to keep pace with changes in technology and standards. The Pocket Book emphasises current engineering practice and is supported by clear accounts of the fundamental principles of mechanical engineering. Key features include the latest BSI engineering data; focus on engineering design issues; enhanced coverage of roller chain drives, pneumatic and hydraulic systems; and expanded and more accessible detail on statics, dynamics and mathematics.

- Over 300 pages of new material, including the latest standards information from BSI
- Exhaustive collection of data for mechanical engineers and students of mechanical engineering
- Unique emphasis on engineering design, theory, materials and properties

Author	Roger Timings	Topic	Mechanical Engineer's Handbook
Edition	3rd	Date	2005
Publisher	Newnes	Cover	Paperback

Stock no.	Price per	OM	S$	S$	S$
535-818	unit	1+	55·50		

Instant stock levels online!

www.rssingapore.com

Networking

Newnes Data Communication Pocket Book

Author:Mike Tooley; Steve Winder
Cover:Hardback
Date:2002
Edition:4th
Publisher:Newnes
Topic: Data Communications
User Level:Professionals; Students



This practical engineer’s reference puts key information at your fingertips and covers essential data, techniques and working practice as well as the latest international regulations.,Contents: Preface: LAN software; Networking; Operating systems; Bluetooth and wireless LANs; Fault-finding on RS-232 system; Optical fibre technology and the IEEE interface standard; Multiplexing (TDM and FDM); Data compression; Digital line systems; On-line services; Digital radio systems; Glossary of data communication terms; index.

Stock no.	Price per	OM	S$	S$	S$
918-664	unit	1+	50·00		

Quality Management

Health and Safety

Easy Guide to Health & Safety

Elsevier Science

Author:Hughes
Cover:Paperback
Date:2008
Edition:1st
ISBN 13: 9780750669542
Publisher:Butterworth-Heinemann
Topic:Guide to Health and Safety
c. 296 pages

Health and safety law applies to all businesses however small and covers all types of employees – whether full or part time, temporary or permanent, office-based, mobile or home workers, employed or self-employed . For very small businesses and the self-employed health and safety is just one small aspect of their job and they do not want to spend much time on it. But they still need to ensure that they prevent people being harmed and comply with the law. Phil and Liz Hughes have written a short guide to the basics of health and safety. The book gives practical, step-by-step advice on what small businesses must do to ensure health and safety and includes handy checklists and forms. Easy Guide to Health and Safety is also suitable for students on IOSH Working Safely and NVQ level 1 and 2 courses from City & Guilds and other NVQ awarding bodies, who require a similar shop-floor approach.

- Short, simple and jargon-free introduction in full colour with plenty of illustrations
- Practical and ideal for people in small businesses and sole traders who must deal with health and safety on top of their main job
- Suitable for students on IOSH Working Safely courses and other short introductory courses for the non-specialist

Stock no.	Price per	OM	S$	S$	S$
535-834	unit	1+	31·80		

Register online

My Account

www.rssingapore.com